



**OFFICE OF THE DIVISIONAL FOREST OFFICER
NOWSHERA FOREST DIVISION**

Fax No. 01960-230240 email:- dfonowshera@gmail.com

The Conservator of Forests
West Circle,
Rajouri.

No:- DFO/NSR/ 1204

Dated: 28-08-2021

Subject:- Water Supply Scheme Tallian Kalachang: Construction of 10,000 gallons GSR capital at Channi panchayat under WSS Tallian Kalachang.

Sir,

In reference to the above cited proposal, the following corrections have been made as per the EDS raised:-

1. Area of CA in Part-II Col (13) has been corrected.
2. Approval of CA scheme has been uploaded in Part-II.
3. Joint Inspection report in Part-II and shape of forest land proposed to be diverted in Part-I has been corrected.
4. Site inspection report and specific recommendation of DFO has been uploaded in additional documents of Part-II.

Yours Faithfully

(Suresh Manda, IFS)

Divisional Forest Officer
Nowshera Forest Division
Nowshera



**OFFICE OF THE DIVISIONAL FOREST OFFICER
NOWSHERA FOREST DIVISION**

Fax No. 01960-230240 email:- dfonowshera@gmail.com

Full Title of Project :- WSS Tallian Kalachang

Proposal No. :- FP/JK/Water/142299/2021

Date :- 15-05-2021

SPECIFIC RECOMMENDATION OF DFO

Diversion of 0.053 Ha forest land in Co. 36/D for construction of Ground Storage Reservoir by PHE Division Nowshera is hereby recommended for Forest Clearance under section-2 of Forest Conservation Act, 1980.

(Suresh Manda, IFS)

Divisional Forest Officer
Nowshera Forest Division
Nowshera




**OFFICE OF THE DIVISIONAL FOREST OFFICER
NOWSHERA FOREST DIVISION**

Fax No. 01960-230240 email:- dfonowshera@gmail.com

Full Title of the project :- WSS Tallian Kalachang
Proposal No. :- FP/JK/Water/142299/2021
Date of Proposal :- 15-05-2021

Site Inspection Report of DFO

1. A proposal has been received by this office from PHE Division Nowshera for diversion (under FCA, 1980) of 0.053 Ha of forest land for non-forestry purpose. The subject envisages the use of forest land for construction of Ground Storage Reservoir. The site inspection of the land involved in the proposal has been done by me on 21-06-2021. On inspection of the site, it is found that the land required by the User agency is a forest land measuring 0.053 ha. The requirement of forest land is proposed by the user agency in Col.2 of part-I is unavoidable and is barest minimum required for the project.
2. Whether any rare/endangered/unique species of flora and fauna found in the area:- **Nil**
3. Whether any protected archaeological/heritage site/defence establishment or any other important monument is located in the area:- **Nil**
4. The user agency has not violated the provisions of the FCA, 1980 and no work has been started without proper sanction.
5. Specific recommendation:- **The case is recommended for acceptance under FCA, 1980.**


(Suresh Manda, IFS)
Divisional Forest Officer
Nowshera Forest Division
Nowshera