

कार्यालय

वन मण्डल अधिकारी, क्षेत्रीय वन मण्डल हिसार

हवाई अड्डा रोड़, नजदीक मीलगेट, हिसार-Φ-01662-259232(का0)Mail id-dfo.hsr-hry@nic.in

क्रमांक : 1408

दिनांक 30/12/2022

सेवा में,

अति० प्रधान मुख्य वन संरक्षक, (एफ०सी०ए०)
हरियाणा, पंचकूला।

विषय : Diversion of 0.0046 Ha. forest land in favour of M/s Shree Balaji Phosphate and Organic Industries bearing Khasra No. 72//3, 4, 7, 8/1, 14/1 on Choudharywas to Gawar Road (ODR) at Village Gawar, at District Hisar & District Hisar, under forest Division & Distt. Hisar Haryana.

Online Proposal No. FP/HR/Approach/151308/2022.

उपरोक्त विषय के सम्बन्ध में उक्त प्रस्ताव में लगाई गई आपत्ति से सम्बन्धित सूचना निम्न प्रकार से आगामी आवश्यक कार्यवाही हेतु भेजी जाती है:-

1. एफ०आर०ए० प्रमाण पत्र जिलाधीश, हिसार को भेजा जा चुका है, प्राप्त होते ही अलग से भेज दिया जाएगा।
2. प्रयोक्ता एजैन्सी द्वारा पार्ट-1 में प्रदूषण विभाग की एन०ओ०सी० अपलोड कर दी गई है।

सलंगन/उपरोक्त

वन मण्डल अधिकारी,
हिसार।



HARYANA STATE POLLUTION CONTROL BOARD

Bays B-7-8, Near Vishwas Sr.Sec. School, E-II, Hisar
Ph. 01662-250891(O) Email:- hspcbrohr@gmail.com

Website: www.hrocmmms.nic.in E-Mail - hspcbho@gmail.com

Telephone No.: 0172-2577870-73

No. HSPCB/Consent/: 313120422HHSCTE22053633

Dated:13/04/2022

To.

M/s : Shri Balaji Phosphate And Organic Ind.
VPO Gavad, Hisar
HISAR
125005

Sub. : Grant of consent to Establish to M/s Shri Balaji Phosphate And Organic Ind.

Please refer to your application no. 22053633 received on dated 2022-03-15 in regional office Hissar.

With reference to your above application for consent to establish, M/s Shri Balaji Phosphate And Organic Ind. is here by granted consent as per following specification/Terms and conditions.

Consent Under	AIR/WATER
Period of consent	13/04/2022 - 12/04/2027
Industry Type	Fertilizer (granulation / formulation / blending only)
Category	ORANGE
Investment(In Lakh)	292.60001
Total Land Area (Sq. meter)	18514.0
Total Builtup Area (Sq. meter)	2150.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	5.0 KL/Day
Number of outlets	1.0
Mode of discharge	
1. Domestic	septic tank with soakpit
2. Trade	
Permissible Domestic Effluent Parameters	
1. NA	
Permissible Trade Effluent Parameters	
1. NA	mg/l
Number of stacks	1
Height of stack	

1. Stack attached to Furnace, Dryer and Cooler Drum	30 MTR
Permissible Emission parameters	
1. SPM	150 mg/m ³
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. Furnace	120 MTD
Type of Fuel	
1. Electricity	100 Kilowatt/day
2. Wood	1 Ton/day

Regional Officer, Hissar
Haryana State Pollution Control Board.

Terms and conditions

1. The industry has declared that the quantity of effluent shall be 5 KL/Day i.e 0KL/Day for Trade Effluent, 0 KL/Day for Cooling, 5 KL/Day for Domestic and the same should not exceed .
2. The above 'Consent to Establish' is valid for 60 months from the date of its issue to be extended for another one year at the discretion of the Board or till the time the unit starts its trial production whichever is earlier. The unit will have to set up the plant and obtain consent during this period.
3. The officer/official of the Board shall have the right to access and inspection of the industry in connection with the various processes and the treatment facilities being provided simultaneously with the construction of building/machinery. The effluent should conform the effluent standards as applicable
4. That necessary arrangement shall be made by the industry for the control of Air Pollution before commissioning the plant. The emitted pollutants will meet the emission and other standards as laid/will be prescribed by the Board from time to time.
5. The applicant will obtain consent under section 25/26 of the Water (Prevention & Control of Pollution) Act, 1974 and under section 21/22 of the Air (Prevention & Control of Pollution) Act, 1981 as amended to-date-even before starting trial production
6. The above Consent to Establish is further subject to the conditions that the unit complies with all the laws/rules/decisions and competent directions of the Board/Government and its functionaries in all respects before commissioning of the operation and during its actual working strictly.
7. No in-process or post-process objectionable emission or the effluent will be allowed, if the scheme furnished by the unit turns out to be defective in any actual experience
8. The Electricity Department will give only temporary connection and permanent connection to the unit will be given after verifying the consent granted by the Board, both under Water Act and Air Act.
9. Unit will raise the stack height of DG Set/Boiler as per Board's norms.
10. Unit will maintain proper logbook of Water meter/sub meter before/after commissioning.

- That in the case of an industry or any other process the activity is located in an area approved and that in case the activity is sited in an residential or institutional or commercial or agricultural area, the necessary permission for siting such industry and process in an residential or institutional or commercial or agricultural area or controlled area under Town and Country Planning laws CLU or Municipal laws has to be obtained from the competent Authority in law permitting this deviation and be submitted in original with the request for consent to operate.
12. That there is no discharge directly or indirectly from the unit or the process into any interstate river or Yamuna River or River Ghaggar.
 13. That the industry or the unit concerned is not sited within any prohibited distances according to the Environmental Laws and Rules, Notification, Orders and Policies of Central Pollution control Board and Haryana State Pollution Control Board.
 14. That of the unit is discharging its sewage or trade effluent into the public sewer meant to receive trade effluent from industries etc. then the permission of the Competent Authority owing and operating such public sewer giving permission letter to his unit shall be submitted at time of consent to operate.
 15. That if at any time, there is adverse report from any adjoining neighbor or any other aggrieved party or Municipal Committee or Zila Parishad or any other public body against the unit's pollution; the Consent to Establish so granted shall be revoked.
 16. That all the financial dues required under the rules and policies of the Board have been deposited in full by the unit for this Consent to Establish.
 17. In case of change of name from previous Consent to Establish granted, fresh Consent to Establish fee shall be levied.
 18. Industry should adopt water conservation measures to ensure minimum consumption of water in their Process. Ground water based proposals of new industries should get clearance from Central Ground Water Authority for scientific development of previous resource.
 19. That the unit will take all other clearances from concerned agencies, whenever required.
 20. That the unit will not change its process without the prior permission of the Board.
 21. That the Consent to Establish so granted will be invalid, if the unit falls in Aravali Area or non conforming area.
 22. That the unit will comply with the Hazardous Waste Management Rules and will also make the non-leachate pit for storage of Hazardous waste and will undertake not to dispose off the same except for pit in their own premises or with the authorized disposal authority.
 23. That the unit will submit an undertaking that it will comply with all the specific and general conditions as imposed in the above Consent to Establish within 30 days failing which Consent to Establish will be revoked.
 24. That unit will obtain EIA from MoEF, if required at any stage.
 25. In case of unit does not comply with the above conditions within the stipulated period, Consent to Establish will be revoked.
 26. That unit will obtain consent to operate from the board before the start of product activity.

Specific Conditions

Other Conditions :

- CONTROL
- he unit will operate its APCM regularly.
Unit will apply for the first CTO after the installation of the plant and machinery before commissioning.
4. Unit will take all necessary clearances from all the concerned departments/agencies.
 5. This CTE is valid for 05 years or up to the commissioning of the unit whichever is earlier.
 6. The unit will use / purchase raw materials from the legal mines.
 7. The unit will abide by the directions/guidelines of HSPCB/CPCB/ any court decision/ direction of any competent authority.
 8. The unit will abide by the production capacity average of 120 MT/day of gypsum granules.
 9. This CTE is prejudiced to any action under the provisions of applicable laws/acts/notification/courts order to be taken in respect of any violation at any stage without any claim of the unit.
 9. The unit will not carry out mineral grinding / pulverizing activities in this project.

Digitally signed by SHAKTI SINGH
Date: 2022.04.13 11:06:39
+05'30'

SHAKTI SINGH
Regional Officer, Hissar
Haryana State Pollution Control Board.



HARYANA STATE POLLUTION CONTROL BOARD

Bays B-7-8, Near Vishwas Sr.Sec. School, E-II,
Hisar Ph. 01662-250891(O) Email:-

hspebrohr@gmail.com

E-mail: hspcb@hry.nic.in

No. HSPCB/Consent/: 313120422HISCTO23788873

Dated:18/05/2022

To.

M/s :Shri Balaji Phosphate And Organic Ind.
VPO Gavad, Hisar

Subject: Grant of consent to operate to M/s Shri Balaji Phosphate And Organic Ind..

Please refer to your application no. 23788873 received on dated 2022-05-03 in regional office Hissar. With reference to your above application for consent to operate, M/s Shri Balaji Phosphate And Organic Ind. is here by granted consent as per following specification/Terms and conditions.

Consent Under	BOTH
Period of consent	18/05/2022 - 31/03/2025
Industry Type	Fertilizer (granulation / formulation / blending only)
Category	ORANGE
Investment(In Lakh)	292.60001
Total Land Area(Sq. meter)	18514.0
Total Builtup Area(Sq. meter)	2150.0
Quantity of effluent	
1. Trade	0.0 KL/Day
2. Domestic	0.0 KL/Day
Number of outlets	0.0
Mode of discharge	
1. Domestic	
2. Trade	NA
Domestic Effluent Parameters	
1. NA	
Trade Effluent Parameters	
1. NA	
Number of stacks	1
Height of stack	
1. Stack attached to 120 MTD Furnace, Dryer and Cooler Drum	30 M
Emission parameters	
1. SPM	150 mg/m ³

Product Details	
1. Gypsum Granules	100 Metric Tonnes/day
Capacity of boiler	
1. NA	Ton/hr
Type of Furnace	
1. Furnace For Dryer	120 MTD
Type of Fuel	
1. Wood	1 Ton/day
2. Electricity	1000 Kilowatt/day
Raw Material Details	
Raw Gypsum	120 Metric Tonnes/Day

Regional Officer, Hissar
Haryana State Pollution Control Board.

Terms and conditions

1. The applicants shall maintain good house keeping both within factory and in the premises. All hose pipelines valves, storage tanks etc. shall be leak proof. In plant allowable pollutants levels, if specified by State Board should be met strictly.
2. The applicant/company shall comply with and carry out directive/orders issued by the Board in this consent order at all subsequent times without negligence of his /its part. The applicant/company shall be liable for such legal action against him as per provision of the law/act in case of violation of any order/directives. Issued at any time and or non compliance of the terms and conditions of his consent order.
3. The applicant shall make an application for grant of consent at least 90 days before the date of expiry of this consent.
4. Necessary fee as prescribed for obtaining renewal consent shall be paid by the applicant alongwith the consent application.
5. If due to any technological improvement or otherwise this Board is of opinion that all or any of the conditions referred to above required variation (including the change of any control equipment either in whole or in part) this Board shall after giving the applicant an opportunity of being heard vary all or such condition and there upon the applicant shall be bound to comply with the conditions so varied.
6. The industry shall provide adequate arrangement for fighting the accidental leakages, discharge of any pollutants gas/liquids from the vessels, mechanical equipment etc. which are likely to cause environment pollution.
7. The industry shall comply noise pollution (Regulation and control) Rules, 2000.
8. The industry shall comply all the direction/Rules/Instructions as may be issued by the MOEF/CPCB/HSPCB from time to time.
9. The industry shall ensure that various characteristics of the effluents remain within the tolerance limits as specified in EPA Standard and as amended from time to time and at no time the concentration of any characteristics should exceed these limits for discharge.
10. The industry would immediately submit the revised application to the Board in the event of any change in the raw material in process, mode of treatment/discharge of effluent. In case of change of process at any stage during the consent period, the industry shall submit fresh

ent application alongwith the consent to operate fee, if found due, which may be on any amount and that shall be paid by the industry and the industry would immediately submit the consent application to the Board in the event of any change during the year in the raw material, quantity, quality of the effluent, mode of discharge, treatment facilities etc.

11. The officer/official of the Board shall reserve the right to access for the inspection of the industry in connection with the various process and the treatment facilities. The consent to operate is subject to review by the Board at any time.
12. Permissible limits for any pollutants mentioned in the consent to operate order should not exceed the concentration permitted in the effluent by the Board.
13. The industry shall pay the balance fee, in case it is found due from the industry at any time later on.
14. If the industry fails to adhere to any of the conditions of this consent to operate order, the consent to operate so granted shall automatically lapse.
15. If the industry is closed temporarily at its own, they shall inform the Board and obtain permission before restart of the unit.
16. The industry shall comply all the Directions/ Rules/Instructions issued from time to time by the Board.

Specific Conditions :

1. The unit will submit the copy of fresh analysis reports of effluent/air emissions/ noise analyzed from the Board's lab within 90 days of issuance of this CTO.
2. The unit will run the PCDs to keep the parameters within limits.
3. Unit will maintain the Log Book of PCDs along with the details of energy and chemical consumption.
4. Unit will apply for renewal of CTO before 90 days of the expiry of this CTO.
5. If fails to comply with the provisions of said CTO, the CTO so granted shall be revoked automatically without giving any notice.
6. The unit will strictly comply with the guidelines of CPCB & MOEFCC.
7. The unit will not use banned fuels i.e pet coke, furnace oil & use only fuels approved by HSPCB vide order no.4023-4076 dated 12.12.2018.
8. Unit will not discharge any trade effluent.

*Regional Officer, Hissar
Haryana State Pollution Control Board.*