9-HRB001/2024-CHA

1/64078/2024

Stor 1



भारत सरकार GOVERNMENT OF INDIA पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE क्षेत्रीय कार्यालय, चंडीगढ़ / Regional Office, Chandigarh



फाइल नम्बर: 9-HRB001/2024-CHA सेवा में



दिनांक: January, 2024

नोडल ऑफिसर एवं अति.प्रधान मुख्य वन संरक्षक (एफ.सी), कार्यालय प्रधान मुख्य वन संरक्षक, C- 18, वन भवन, सेक्टर 6, पंचकुला, हरियाणा।

विषय: Diversion of 1.8062 ha of forest land for Construction of 220 KV D/C Transmission line from 220 KV D/C Transmission line from 220 KV S/Stn., HVPNL, Bhadana to proposed 220 KV S/Stn., METL, Dadri Toe. by HVPNL under Forest Division and District Jhajjar, Haryana. (Online Proposal No. FP/HR/Trans/141504/2021)regarding.

सन्दर्भ: i). State Government letter 5620-व-1-2023/7697 dated 01.12.2023. महोदय,

मुझे आपका ध्यान उपर्युक्त विषय से संदर्भांकित पत्र की ओर दिलाने का निर्देश हुआ है, जिसमें वन (संरक्षण एवं संवर्धन) अधिनियम, 1980 की धारा- 2 के अनुसार गैर वानिकी उद्देश्य के लिए **1.8062** हेक्टेयर वन भूमि की मांग की गई है|

2. प्रस्ताव से सम्बंधित निम्नलिखित जानकारी भेजने का कष्ट करे: -

- i) Density appears to be more than 0.3 for 655 trees in 1.8062 ha.
- ii) No. of trees are 655 in the transmission line proposal. The State Government is requested to submit the details of trees that are actually required to be felled out of 655 and no. of trees proposed for lopping/chopping.
- iii) No comments made by the DFO in his SIR against column no. 2, 3, 4 & 5.
- iv) Administrative approval not found uploaded online.
- v) Diversion area of the proposed project is above then 1 ha. i.e. 1.8062 ha. & As per Van(Sanrakshan Evam Samvardhan) Adhiniyam, 1980, CA scheme is to be proposed on double the degraded land (1.80*2=3.61 ha.) instead of ten times of trees are proposed to be felled. Revised CA scheme, kml of CA Site, DGPS Map and SOI toposheet of CA site need to be provided.
- vi) Proposed KML showing forest patches but a line connected & showing alignment of the proposed transmission line is not showing, also as per google imaginary of the attached kml appears that all towers are already errected on the acquired non-forest land & the requirement for non-forest land is uploaded as nil. Needs to be justify.

Signed by भवदीय -sd-Raja Ram Singh (राजा राम सिंह) Date: 31-01-2024 22:29:34 उप-वन महानिरीक्षक(केन्द्रीय) RO, MoEF&CC, Chandigarh

प्रतिलिपि:

- 1. Divisional Forest Officer, Forest Division & District Jhajjar, Haryana.
- 2. The Executive Engineer, HVPNL, District-Rohtak.(hvpnlrohtak@gmail.com)

40 aju :- 2002 Sand 25 the Executive Engineer, HUPPAL, Dirti-Rohtak an norme (mean site & B Ng etisser, 2, 4, 6 the sidelet Deson area us success with site minutan in Consulting and 342 det in minutal situanes and all mine is and of this, 1000.