

-46-

No. 5345  
H.P. Forest Department.

Dated Rampur, the 23/1/18

To

Er. R.L. Negi, Head of the Project,  
SJVN Ltd., Luhri Hydro Electric Project,  
Village Bithal Tehsil Kumarsain, Distt Shimla HP

Subject: -

Diversion of 98.1004 hectare of forest land in favour of SJVN Ltd. for the construction of Luhri HEP Stage-I in Distt. Shimla & Kullu, H.P.- Submission of hard copy of the proposal under Forest (Conservation) Act, 1980.

Sir,

Kindly refer to your office letter No. SJVN/LHEP/Envl.-FCA/2017-18-1230 dated 03-01-2018 on the subject cited above.

2. From the perusal of proposal folder as received with your letter above, the following shortcomings has been noticed:-

1. You have submitted only single proposal whereas same is required in six sets.
2. All papers/documents are required to be placed as per specific main check list framed under Forest (Conservation) Act, 1980 copy of same may be download from web portal.
3. All papers/documents enclosed are photocopy whereas same is required in original, if same is not possible attested copy is required to be placed.
4. Lay out plan of the project is not found attached.
5. Survey Sheet/Map showing alternative alignments examined with all components is required to be placed in the proposal.
6. No any revenue paper (i.e. Nakal Jamabandi & Parcha Tatima) of the land involved/required to be diverted has been attached with the proposal.
7. Soft copy of DGPS map and KML file of the project area required to be diverted is required.
8. Village-wise and component-wise of land required is not attached in the proposal.
9. Enumeration list of trees showing species-wise and girth class wise enumeration list and abstract of trees (abstract to be given at the end of the

- list) standing on the forest area in question neatly typed or computerized is not found attached.
10. Detail of muck/debris to be generated and disposal is not given.
  11. Reclamation plan of the dumping sites are not found enclosed.
  12. Certificate for minimum use of forest land is required to be submitted by User Agency, giving details of area and trees involved in the alternatives examined and reasons for their rejection.
  13. Status of clearance under Environment (Protection) Act, 1986 is required to be placed in the proposal.
  14. NOC of the State Pollution Control Board for establishment of the project.
  15. Joint inspection report of area required for the project conducted by the competent authorities is not attached with the proposal.

This is for your kind information and taking further necessary action. You are, therefore, requested to attend the above shortcoming at the earliest and submit the complete case in six sets to this office for further action.

at 3/11-21  
Divisional Forest Officer,  
Rampur Forest Division,  
Rampur Bushahr.

Endst No.

5346-47  
Dated Rampur, the 23-1-2018  
Copy is forwarded to RFO Rampur and Nankhari for information and necessary action. They will ensure that not forest land can be used by the user agency until and unless approval of competent authority may not received in the present case.

at 3/11-21  
Divisional Forest Officer,  
Rampur Forest Division,  
Rampur Bushahr, H.P.