

GOVERNMENT OF ANDHRA PRADESH
FOREST DEPARTMENT

Rc.No.3975/2020/S4,
Dated: 06.02.2021.

Office of the District Forest Officer,
Vizianagaram

From
Sri Sachin Gupta, I.F.S.,
District Forest Officer,
Vizianagaram.

To
The Executive Engineer,
Panchayat Raj, (P.I.U),
Vizianagaram

Sir,

Sub: A.P.F.D. - F. © Act, 1980 - Proposals for diversion of 1.10 hectares of Forest land in Compartment No.391, Butchampadu RF, Vizianagaram for formation of road from Kuntam road to Thummiguda via Mettagudi upto mandal boundary in f/o E.E.P.R. (PIU), Division, Vizianagaram - Field inspection conducted with user agency - Discrepancy in the Forest area requested for diversion found in the field on 06.02.2021 - Proposals returned for rectification - Regarding.

Ref: 1) Prl.C.C.F., A.P. Guntur Rc.No.EFS02-15034/61/2020-FCA-SEC-PCCF/FCA-3, dt: 03.01.2021.
2) Executive Engineer, P.R. (PIU), VZM Rc.No.07/2020/F6, dt: 19.11.2020
3) D.F.O. Vizianagaram field inspection of the road on 06.02.2021.

-oOo-

I wish to inform that the Section 2 proposals under Forest Conservation Act, 1980 for providing BT to the road from Kuntam road to Thummiguda via Mettagudi of Saluru Range, Vizianagaram Division is inspected by the undersigned along with the Executive Engineer, Panchayat Raj, (PIU), Vizianagaram with the staff concerned on 06.02.2021.

During the field inspection it is found that there is discrepancy in the Forest area to be diverted for the said road from Kuntam road to Thummiguda via Mettagudi. The details area as follows.

Forest area requested by the user agency	Required Forest area found in the field inspection	Difference
1.10 hectares	Length = 1600 meters Width = 7.50 meters Total area = 1.20 hectares	0.10 hectares.

The user agency in the D.G.P.S. map has shown the required Forest area is 1.10 hectares in 6 bits, but the details of length and width are not mentioned in any where, even in the Part-I proposal also (Please verify the area statement).

The S.I. map in 1:50,000 scale is to be enclosed with the road proposal, but the user agency has submitted in 1:15,000 scale map only. The DGPS map and S.I. map both are required to be furnished.

Contd..... 2.....

:: 2 ::


Hence, the original (5) sets of Part-I proposals along with maps are returned herewith to the Executive Engineer, Panchayat Raj, (PIU) Vizianagaram with a request to rectify the above omissions and furnish the required maps and rectified Part-I proposals to this office for taking further action.

Yours faithfully,

(Sd.) Sachin Gupta,
District Forest Officer,
Vizianagaram.

Encl: 5 sets

// t.c.b.o.//


Technical Officer.
6/2/2021