

GOVERNMENT OF TELANGANA
O/o the Chief Engineer, TDWSP, Telangana State, Hyderabad

From:
Sri. M.Jagan Mohan Reddy B.Tech,
Chief Engineer,
TDWSP,
Hyderabad.

To:
The Prl.Chief Conservator of Forest,
Head of Forest Force, Telangana
Aranya Bhavan, Saifabad
Hyderabad.

Lr.No. AEE/DEE-1/TDWSP/Forest/Adilabad/Seg21-2/2016 dt: 03.03.2016

Sir,

Sub: -TDWSP circle Nirmal – providing and laying of pipeline and construction of other structures for safe drinking water in Adilabad district –submission of proposals of Chenchughat Segment no.21/2 of Adilabad district for Forest Clearances for diversion of 4.698 Ha. – Regarding.

Ref: - Lr.No. AEE/DEE/TDWSP/Forest/Adilabad-Chenchughat/Seg-21-2/2016 dt: 03.03.2016 of Superintending Engineer, Nirmal Circle

In the reference cited, the Superintending Engineer , TDWSP, Nirmal has submitted the territorial forest land diversion permission proposal pertains to laying of pipe lines in Chenchughat-Adilabad Segment 21/2 in Adilabad District sanctioned under Telangana Drinking Water Supply Project (TDWSP). The same is submitted here with for necessary processing.

Details of forest land diversion permission proposals:

AREA STATEMENT OF CHENCHUGHAT SEGMENT-21/2						
Set No.	Type of Structure	Dia	Length	Width	Area_Ha	Total Area in Ha.
1	PIPELINE	250.00	808.882	0.90	0.073	0.073
2	PIPELINE	350.00	903.672	1.20	0.108	0.128
	PIPELINE	125.00	239.585	0.70	0.017	
	PIPELINE	300.00	34.400	0.90	0.003	
3	PIPELINE	110.00	4454.800	0.70	0.312	0.312
4	PIPELINE	63.00	1174.806	0.90	0.106	0.658
	PIPELINE	1800.00	603.395	8.00	0.483	
	OHBR				0.070	
5	PIPELINE	75.00	1515.650	0.70	0.106	0.106
6	PIPELINE	250.00	3963.331	1.20	0.476	0.925
	PIPELINE	3150.00	462.954	7.00	0.324	
	OHBR				0.125	
7	PIPELINE	315.00	2731.760	1.22	0.333	0.727
	PIPELINE	200.00	532.961	1.00	0.053	
	PIPELINE	63.00	522.005	0.70	0.037	
	PIPELINE	90.00	199.729	0.70	0.014	

	PIPELINE	600.00	17.500	8.00	0.014	
	PIPELINE	63.00	837.340	0.90	0.075	
	PIPELINE	63.00	840.313	0.90	0.076	
	OHBR				0.125	
8	PIPELINE	63.00	763.036	0.70	0.053	0.083
	PIPELINE	140.00	419.753	0.70	0.029	
9	PIPELINE	75.00	526.803	0.70	0.037	0.364
	PIPELINE	75.00	1350.241	0.70	0.095	
	PIPELINE	75.00	264.820	0.70	0.019	
	PIPELINE	75.00	3053.710	0.70	0.214	
10	PIPELINE	63.00	2347.972	0.70	0.164	0.238
	PIPELINE	63.00	347.741	0.70	0.024	
	PIPELINE	90.00	449.887	0.70	0.031	
	PIPELINE	90.00	248.536	0.70	0.017	
11	PIPELINE	110.00	1482.402	0.70	0.104	0.229
	PIPELINE	63.00	1794.285	0.70	0.126	
12	PIPELINE	75.00	408.114	0.70	0.029	0.100
	PIPELINE	75.00	893.361	0.70	0.063	
	PIPELINE	75.00	125.691	0.70	0.009	
13	PIPELINE	63.00	3472.023	0.70	0.243	0.481
	PIPELINE	90.00	3404.557	0.70	0.238	
14	PIPELINE	63.00	2041.464	0.70	0.143	0.143
15	PIPELINE	300.00	1457.167	0.90	0.131	0.131
TOTAL			44694.646		4.698	4.698

Therefore, (1x7) sets in FCA format of Adilabad Division are here with submitted with the request to take necessary action for processing the proposal and accord permission. The proposal shall also be uploaded for processing.

In lieu Forest area proposed for diversion a suitable Compensatory Afforestation land (CA land) will be obtained from the District collector and furnished to DFO Adilabad for further processing

RoFR certificates in prescribed format on the forest area proposed for diversion shall also be obtained from the District Collector and submitted for processing.

Hence the Principal Chief Conservator of Forest, Hyderabad is requested take necessary action for processing the proposal at an early date.

Yours faithfully,


Chief Engineer,
TDWSP, Hyderabad,

Copy Submitted to the Principal Secratry to The Government, PR&RD Hyderabad.
Copy to the Superintending Engineer, Nirmal to persue the matter and compliance.