



भारत सरकार
Government of India
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय

Ministry of Environment, Forest & Climate Change
एकीकृत क्षेत्रीय कार्यालय, गुवाहाटी/Integrated Regional office, Guwahati
चौथी मंजिल, होसेफेड इमारत, जी एस रोड, रुक्मिणी गाँव, गुवाहाटी- ७८१०२२
4th Floor, Housefed building, GS Road, Rukmini gaon, Guwahati -781022
दूरभाष /Tel Fax: 0361-2962350, E-mail: iro.guwahati-mefcc@gov.in



F.No.3 AS C/ 093/2022/GHY/2230-2231

28th March, 2022

सेवा मे,

अतिरिक्त प्रमुख सचिव/ Addl. Chief Secretary,
असम सरकार/Govt of Assam,
पर्यावरण और वन विभाग/Environment and Forest Department,
दिसपुर/Dispur, गुवाहाटी/Guwahati-781006.

Sub: Proposal for diversion of 18.028 ha of forest land for construction and commissioning of 132 KV Transmission line from Agia GSS to Goalpara TSS in Rakhayashini PRF under Goalpara Division in favour of Central Organization for Railway Electrification, Guwahati.

Ref: (i) Letter No. FRS.10/2022/80 dated 10.03.2022 of Govt of Assam.

Sir,

Please refer the State Govt letter on the subject mentioned above, seeking prior approval of the Central Government in accordance with Section 2 of the FCA, 1980. I am to inform that the proposal referred above has been examined in this office in the light of Forest (Conservation) Act, 1980 and rules/guidelines framed thereunder and the following clarification and lacking information/documents is to be submitted:-

- (1) The original or colour scan Sol map indicating the 3-alternate route examination (route I, II and III) with proper legend.
- (2) State Govt. to submit the signed Part V form mentioning specific recommended proposed area as it is submitted unsigned.
- (3) The 3-alternate route examination (I, II & III) along with the justification for choosing the proposed alignment mentioning ecological parameters i.e., forest cover, density, forest type, habitation etc.
- (4) The Sol map indicating the proposed area has not been countersigned by the concerned DFO, hence the submitted Sol map is returned herewith and State Govt to resubmit the countersigned map.
- (5) The HEC mitigation and wildlife conservation plan approved by CWLW as recommended by the Nodal Officer (FCA), Govt of Assam.
- (6) The Cost Benefit Analysis of the proposed area.
- (7) The aerial distance of the proposed area from the nearest Protected Area/Wildlife Sanctuary/National Park.
- (8) The technically approved and duly signed dwarf species plantation scheme.
- (9) The site suitability certificate of the CA area proposed.

- (10) State Govt to clarify whether any scheduled-I species, mammals, birds, other wildlife is present in the proposed alignment, if yes, site inspection report from CWLW along with appropriate necessary mitigation measures for the possible impact on the wildlife due to the proposed high-tension line and wildlife mitigation plan is to be submitted.
- (11) The current status of FRAct, 1980 of this instant proposal.
- (12) The undertaking certificate by the user agency for payment of cost of tree extraction/removal by the user agency.

The DSS report on the proposed area and the CA site is awaited from FSI, Dehradun and the same shall be communicated, if required.

State Govt. is requested to kindly furnish the above requisite information to this office for further processing of this proposal.

भवदीय,



(W. Longvah)

वन महा निरीक्षक (केंद्रीय)

Inspector General of Forests(C)

Copy to:

(1) The Principal Chief Conservator of Forests & HoFF, Govt of Assam, Environment and Forest Department, Aranya Bhawan, Rop Konwar Jyoti Prasad, Agarwal Path, Near Srimanta Sankardev Kalakhetra, Panjabari, Guwahati-781037.



वन महा निरीक्षक (केंद्रीय)

Inspector General of Forests(C)

o/c