

/45106/2023



भारत सरकार / GOVERNMENT OF INDIA
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय

MINISTRY OF ENVIRONMENT, FOREST & CLIMATE CHANGE

एकीकृत क्षेत्रीय कार्यालय, भोपाल / INTEGRATED REGIONAL OFFICE, BHOPAL
Kendriya Paryavaran Bhavan, Link Road No.3, E-5, Ravi Shankar Nagar,
BHOPAL - 462016 (M.P.)

TEL: 0755-2466525 E-mail: rowz.bpl-mef@nic.in



क्रमांक: 6-एमपीआर 010/2023-बीएचओ/

दिनांक : 30/05/2023.

प्रति,

प्रधान सचिव (वन)
मध्यप्रदेश शासन,
वल्लभ भवन, भोपाल,
(मध्यप्रदेश) ।

विषय: वनमण्डल रीवा के परिक्षेत्र हनुमना के वनक्षेत्र PF-399 के रकबा 2.21 हेक्टेयर संरक्षित वनभूमि में सैंड पत्थर (अर्थात क्रेशर के उपयोग हेतु) उत्खनन हेतु आवेदक स्वामी नित्यानंद जी महाराज स्टोन्स, हुडडा भिवानी, हरियाणा को उपयोग पर देने बाबत ।

संदर्भ: प्रधान मुख्य वन संरक्षक(भू-प्रबंध), म.प्र. का पत्र क्रमांक एफ-1/837/2022/10-11/796 दिनांक 21/02/2023.

महोदय,

उपरोक्त विषयक एवं संदर्भित पत्रों के संदर्भ में अधोहस्ताक्षरी को यह सूचित करने का निर्देश हुआ है कि प्रस्ताव से संबंधित अन्य वांछित जानकारी/स्पष्टीकरण की आवश्यकता है । अतः निम्नलिखित जानकारी/दस्तावेज प्रेषित करने का कष्ट करें :-


1. Complete CA scheme shall be submitted/ uploaded.
2. The DFO, South Sagar stated that the proposal is recommended only after receipt of a consolidated CA area adjoining to forest boundary for all relevant proposals. Thus, a single patch of CA area adjoining to forest boundary shall be submitted
3. Out of 2.80 ha of CA land, about 1.59 ha area falling in forest compartment No. 1107, Range-Deori, South Sagar and the whole area (2.80 ha) is MDF category. Alternate CA area needs to be proposed as elucidated in (2) above
4. Justification for location of the project in forest land (counter signed by DFO) shall be submitted/uploaded.
5. No objection certificates of concerned department (Railway, WRD, Road, TL etc) shall be submitted.
6. Administrative approval/ sanction letter of the project needs to be submitted.
7. As per DSS analysis, the proposed area is 9.24 km away from Son Ghariyal WLS. Comments of CWLW shall be submitted.
8. A copy of Mining Plan duly signed by Competent Authority (every page) shall be submitted.
9. The online mining plan is different from submitted mining plan. It shall be clarified.

/45106/2023

10. The status of environmental clearance shall be submitted.
11. Status of same minerals surrounding revenue area from competent authority shall be submitted.
12. As per DSS analysis, about 0.34 ha has been already broken up area in proposed diversion land. Regarding ATR shall be submitted.
13. Safety Zone needs to be demarcated.
14. The three proposal involving area of 2.21 ha, 4.460 ha & 4.59 ha need to be consolidated.
15. Water conservation Plan needs to be submitted, since there is a water body at a distance of approx. 300 m.
16. Status of present land use in the proposed area (countersigned by DFO) needs to be submitted.
17. Evacuation plan/proposed approach road for transport of material needs to be submitted
18. An undertaking is required to be submitted that overburden shall not be dumped outside the designated area.
19. The certificate from Competent Authority about non availability of the same minerals in surrounding/nearby non-forest area shall be submitted.

उपरोक्त जानकारी प्राप्त होने के पश्चात ही प्रस्ताव में आगामी कार्यवाही की जायेगी ।

भवदीय


(हरे राम कुमार)

तकनीकी अधिकारी (वानिकी)

प्रतिलिपि: प्रधान मुख्य वन संरक्षक (भू-प्रबंध) एवं नोडल अधिकारी, मध्यप्रदेश शासन, सतपुडा भवन, भोपाल ।

Signed by Hare Ram Kumar

Date: 30-05-2023 16:51:45

Reason: Approved