PROPOSAL NO. FP/UK/ROAD/10119/2015

- 1. Short narrative of the project in online Part-I does not provide adequate information about project.
- 2. Total period for which the forest land proposed to be diverted is not mentioned in Part I.
- 3. Component wise break up is not provided in proper. The component wise break up should involved details of area marked for road construction, muck disposal etc.
- 4. May provide/upload scanned copy of GIS software generated geo referenced digital map showing geo coordinates at 200 to 300 m interval along the alignment of the proposed road including all turning points (.TIFF, .IMG or .JPEG). The map uploaded for the purpose shows only few points marked manually which does not serve the purpose. Coordinates should be digitally marked on the map.
- 5. The village wise break up shows that the road passed from the area of one village but in the certificate of villages benefited by the proposal three numbers of villages are mentioned. If the proposed road passed from boundary three villages then it should be mentioned in village wise break up in online Part I.
- 6. The village level committee (VLC) proceedings of FRA certificate only one gram panchayat is mentioned. The State Govt may comment on the same that if three villages are involved then why the VLC carried out only for one village and if required provide VLC proceedings for other gram sabhas also.
- 7. The digital map of area proposed for CA is provided with only four geo-coordinates which does not serve the purpose as per DSS analysis is concern. May provide/upload GIS software generated geo referenced digital map of the area proposed for CA providing geo coordinates at all corner points in shape (polygon/closed area) file. The revised polygon/closed KML file may also be uploaded in online Part I and II at designated place.
- 8. FRA certificate uploaded in Part I is without mentioning date on it. May mention the date on FRA certificate.
- 9. The land schedule attached with the proposal shows requirement of non forest land in the project which is 1.631 ha but no such detail is provided in online Part I and II in designated columns. The information may be filled in online Part I and II in appropriate columns.
- 10. The rate of NPV charged for very dense forest which is 9.39 lakh per ha, but as per density provided the 0.4 density does not support the NPV rate executed. Revise rate may be charged and provide a copy of NPV calculation to this office.
- 11. Authenticated copy of Part I, II, III, IV, and V may be furnished to this office which is uploaded in online web portal.