

I/571911/2023

**Government of Punjab**  
**Department of Forests & Wildlife Preservation**  
**O/o Principal Chief Conservator of Forests (HoFF)**  
**Forest Complex, Sector-68, SAS Nagar.**  
**(FCA Branch)**

Dated:31/05/2023

To

Deputy Director General of Forests (Central),  
Government of India,  
Ministry of Environment, Forests & Climate Change,  
Northern Regional Office, Bays No. 24-25,  
Sector 31-A, Chandigarh

**Sub: FP/PB/Others/142313/2021 -- Diversion of 0.4156 ha. ( instead of 0.208 ha) for Development of M/S Hill Side Concrete Plant at village Bringali H.B. No. 610 Khasra No. 83/3,83/4 which is a Delisted area of section 4 of PLPA 1900 Tehsil Mukerian under Forest Division Dasuya District Hoshiarpur.**

Ref: Your letter No. F.No. -9-PBB329/2022-CHA Dated 17.11.2022.

\*\*\*\*\*

With reference to the subject above, reply to the observation as per referred letter is as under :-

1. A justification regarding diversion is submitted by User Agency. Copy of same is attached at **Annexure-I.**
2. NOC from Punjab Pollution Control Board is attached at **Annexure-II.**
3. CLU certificate is attached at **Annexure-III.**
4. NOC from Mining department is attached at **Annexure-IV.**
5. Divisional Forest Officer has reported that Executive Engineer, Hoshiarpur Drainage-cum-Mining and Geology Division, Hoshiarpur JSV, Punjab has written that the proposed side is more than 100 meters from the edge of Suwan Khad/Biringli Khad and the condition of water source is fulfills.

It is, therefore, requested that Stage-I approval of Government of India under Forest Conservation Act, 1980 to divert the forest area for use of non-forestry purpose may kindly be conveyed.

Basanta Raj Kumar  
NODAL OFFICER (FCA)  
31/05/2023

I/571911/2023

C.C:-

1. Conservator of Forests, North Circle, Hoshiarpur.
2. Divisional Forest Officer, Dasuya.
3. MOHAN LAL S/o Sh Ram Singh village Bhanbotar tehsil Mukerian Distt Hoshiarpur.

Dated 08-05-2023

To  
The D.F.O  
Dasuya ( Hoshiarpur )

**Sub :- Diversion of 0.208ha of forest land for development of M/S HILL Side Concrete Plant at Village Bringli H.B No. 610 Khasra No. 83/3,83/4 which is delisted area of section 4 of PLPA1900, Tehsil Mukerian , under forest division Dasuya and Distt Hoshiarpur ,Punjab (online proposal No. FP/PB/OTHERS/142313/2021 )-Regarding**

Ref. State Government online Proposal received on dated 17-03-2022

Respected Sir,

Reply of Pont No. 2 File No. 9-pbb329/2022-CHA dated 07-04-2022

Before I had Previously submitted proposal document of 0.208ha which was sent to you for approval vide this office's letter on dated 07-07-2021 but we had wrote to this office 21-09-2021 on which I requested that I had applied to the concerned department for CLU of 0.208ha to be diverted but the district town planner is expected that as per CLU guidelines land should be more than 0.4ha and therefore we has revised the area of this case according to 0.4156ha instead of 0.208ha with vide letter no.1315 on dated 28-09-2021 in which we had requested according to 0.4156ha instead of 0.208ha to get NOC from Government of India .

Sincerely ,  
Mohan Lal  
Hill Side Concrete Plant

FCA  
9  
10/5/2023

AS  
DM  
Ajay Singh  
District Forest Officer  
Dasuya Forest Division Dasuya  
2/2



**PUNJAB POLLUTION CONTROL BOARD**  
REGIONAL OFFICE, E-18A, FOCAL POINT, HOSHIARPUR  
Website:- www.ppcb.gov.in

Office Dispatch No :

Registered/Speed Post

Date:

Industry Registration ID: 023/HSP571733

Application No : 21354110

To,  
Sourav Saini  
Ward No. 1 Ram Nagar Colony  
Mukerian, Hoshiarpur-144211

Subject: Grant of "Consent to Establish"(NOC) for an industrial unit u/s 25 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981.

With reference to your application for obtaining fresh 'Consent to Establish'(NOC) an industrial plant u/s 25 of Water (Prevention & Control of Pollution) Act, 1974 and u/s 21 of Air (Prevention & Control of Pollution) Act, 1981, you are, hereby, permitted to establish the industrial unit to discharge the effluent(s) & emission(s) arising out of your premises subject to the Terms and Conditions as specified in this Certificate.

**1. Particulars of Consent to Establish (NOC) granted to the Industry**

Certificate No.	CTE/Fresh/HSP/2023/21354110
Date of issue :	28/03/2023
Date of expiry :	27/03/2024
Certificate Type :	Fresh

**2. Particulars of the Industry**

Name & Designation of the Applicant	Sourav Saini, (Partner)
Address of Industrial premises	Hill Side Concrete Plant, Vill Bringali, Mukerian, Hoshiarpur-144211
Capital Investment of the Industry	141.5 lakhs
Category of Industry	Orange
Type of Industry	2064-Stone crushers
Scale of the Industry	Small
Office District	Hoshiarpur
Consent Fee Details	he unit has deposited the 'consent to establish' (NOC) fee of Rs. 8900/- vide R.no. 127688889 dated 17.03.2023 alongwith form fee of Rs. 500/-.
Raw Materials (Name with quantity per day)	River Bed Material @10000CFT/day
Products (Name with quantity per day)	BAJRI, SAND, GATKA, ROARI, VAPASI @10000CFT/day
By-Products, if any, (Name with quantity per day)	NIL

Anjan Singh  
Divisional Forest Officer

Dasuya

"This is computer generated document from OCMMS by PPCB"

Hill Side Concrete Plant, Vill Bringali, Mukerian, Hoshiarpur, 144211

Page 1



Details of the machinery and processes	02 No. Jaw (Size 15 x30, 6 x 36), 02 No. Granulators, 02 No. Rotopactors, 03 no. Vibrators (Size 20x 5, 12x5, 14x5), 01 no. sandwash (20x5) and 01 no. DG Set of capacity 500 KVA with canopy
Details of the Effluent Treatment Plant	Domestic Effluent @0.3 KLD Any Other @40.0 KLD
Mode of Disposal of Effluent	Onto land for plantation after septic tank 100% Re-circulation OF SIZE 20' X 20' X 15'
Standards to be achieved under Water (Prevention & Control of Pollution) Act, 1974	As prescribed by the Board
Sources of emissions and type of pollutants	Movement of vehicle, Conveyor Belts Other
Mode of disposal of emissions with stack height	As per detail Submitted
Quantity of fuel required in TPD	As per detail submitted
Type of Air Pollution Control Devices to be installed	As per Detail submitted
Standards to be achieved under Air (Prevention & Control of Pollution) Act, 1981	As prescribed by the Board

PUNJAB



28/03/2023

(Shiv Kumar)  
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

Endst. No.:

Dated:

A copy of the above is forwarded to the following for information and necessary action please:  
The SEE, ZO, Jalandhar for information please.

us

sh

Anjan Singh  
Divisional Forest Officer  
Dasuya Forest Division Dasuya

28



28/03/2023

(Shiv Kumar)  
Environmental Engineer

"This is computer generated document from OCMMS by PPCB"

Hill Side Concrete Plant, Vill Bringali, Mukerian, Hoshiarpur, 144211

Page 2

For & on behalf  
of  
(Punjab Pollution Control Board)

AS

AS

Anjan Singh  
Divisional Forest Officer  
Dasuya Forest Division Dasuya

AS

PUNJAB



## A. GENERAL CONDITIONS

1. The industry shall apply for consent of the Board as required under the provision of Water (Prevention & Control of Pollution) Act, 1974, Air (Prevention & Control of Pollution) Act, 1981 & Authorization under Hazardous and other Wastes (Management and Transboundary Movement) Rules, 2016, two months before the commissioning of the industry.
2. The industry shall provide adequate arrangements for fighting the accidental leakages/ discharge of any air pollutant/gas/liquids from the vessels, mechanical equipments etc. which are likely to cause environmental pollution.
3. The Industry shall apply for further extension in the validity of the CTE atleast two months before the expiry of this CTE, if applicable.
4. The industry shall comply with any other conditions laid down or directions issued by the Board under the provisions of the Water (Prevention & Control of Pollution) Act, 1974 and the Air (Prevention & Control of Pollution) Act, 1981 from time to time.
5. The project has been approved by the Board from pollution angle and the industry shall obtain the approval of site from other concerned departments, if need be.
6. The industry shall get its building plans approved under the provisions of section 3-A of Punjab Factory Rules, 1952.
7. The industry shall put up display board indicating the Environment data in the prescribed format at the main entrance gate.
8. The industry shall provide port-holes, platforms and/or other necessary facilities as may be required for collecting samples of emissions from any chimney, flue or duct or any other outlets.

Specifications of the port-holes shall be as under:-

- i) The sampling ports shall be provided atleast 8 times chimney diameter downstream and 2 times upstream from the flow disturbance. For a rectangular cross section the equivalent diameter ( $De$ ) shall be calculated from the following equation to determine upstream, downstream distance:-  

$$De = 2 LW / (L+W)$$

Where L= length in mts. W= Width in mts.
  - ii) The sampling port shall be 7 to 10 cm in diameter
9. The industry shall discharge all gases through a stack of minimum height as specified in the following standards laid down by the Board.


### (i) Stack height for boiler plants

S.NO.	Boiler with Steam Generating Capacity	Stack heights
1.	Less than 2 ton/hr.	9 meters or 2.5 times the height of neighboring building which ever is more
2.	More than 2 ton/hr. to 5 ton/hr.	12 meters
3.	More than 5 ton/hr. to 10 ton/hr	15 meters
4.	More than 10 ton/hr. to 15 ton/hr	18 meters
5.	More than 15 ton/hr. to 20 ton/hr	21 meters
6.	More than 20 ton/hr. to 25 ton/hr.	24 meters
7.	More than 25 ton/hr. to 30 ton/hr.	27 meters
8.	More than 30 ton/hr.	30 meters or using the formula $H = 14 Qg^{0.3}$ $H = 74 (Qp)^{0.24}$ Where $Qg$ = Quantity of $SO_2$ in Kg/hr. $Qp$ = Quantity of particulate matter in Ton/day.

Note : Minimum Stack height in all cases shall be 9.0 mtr. or as calculated from relevant formula whichever is more.

(ii) For industrial furnaces and kilns, the criteria for selection of stack height would be based on fuel used for the corresponding steam generation.

(iii) Stack height for diesel generating sets:

215  
  
 Anjan Singh  
 Divisional Forest Officer  
 Dasuya Forest Division Dasuya

"This is computer generated document from OCMMS by PPCB"

Hill Side Concrete Plant, Vill Bringali, Mukerian, Hoshiarpur. 144211

Capacity of diesel generating set	Height of the Stack	
0-50 KVA	Height of the building	+ 1.5 mt
50-100 KVA	-do-	+ 2.0 mt.
100-150 KVA	-do-	+ 2.5 mt.
150-200 KVA	-do-	+ 3.0 mt.
200-250 KVA	-do-	+ 3.5 mt.
250-300 KVA	-do-	+ 3.5 mt.

For higher KVA rating stack height H (in meter) shall be worked out according to the formula:

$$H = h + 0.2 (KVA) 0.5$$

where h = height of the building in meters where the generator set is installed.

10. The industry shall put up canopy on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin./SA-2/F.No.783/2011/448 dated 8/6/2010.
11. The industry shall put up canopy on its DG sets and also provide stack of adequate height as per norms prescribed by the Board and shall ensure the compliance of instructions issued by the Board vide office order no. Admin./SA-2/F.No.783/2011/448 dated 8/6/2010.
  - (i) Once in Year for Small Scale Industries.
  - (ii) Four in a Year for Large/Medium Scale Industries.
  - (iii) The industry will submit monthly reading/ data of the separate energy meter installed for running of effluent treatment plant/re-circulation system to the concerned Regional Office of the Board by the 5th of the following month.
12. The industry shall provide flow meters at the source of water supply, at the outlet of effluent treatment plant and shall maintain the record of the daily reading and submit the same to the concerned Regional Office by the 5th day of the following month.
13. The industry shall make necessary arrangements for the monitoring of stack emissions and shall get its emissions analyzed from lab approved / authorized by the Board:-
  - (i) Once in Year for Small Scale Industries.
  - (ii) Twice/thrice/four time in a Year for Large/Medium Scale Industries.
14. The pollution control devices shall be interlocked with the manufacturing process of the industry.
15. The Board reserves the right to revoke this "consent to establish" (NOC) at any time, in case the industry is found violating any of the conditions of this "consent to establish" and/or the provisions of Water (Prevention & Control of Pollution) Act, 1974 and Air (Prevention & Control of Pollution) Act, 1981 as amended from time to time.
16. The industry shall plant minimum of three suitable varieties of trees at the density of not less than 1000 trees per acre along the boundary of the industrial premises.
17. The issuance of this consent does not convey any property right in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Central, State or Local Laws or Regulations.
18. The consent does not authorize or approve the construction of any physical structures or facilities for undertaking of any work in any natural watercourse.
19. Nothing in this NOC shall be deemed to neither preclude the institution of any legal action nor relieve the applicant from any responsibilities, liabilities or penalties to which the applicant is or may be subjected under this or any other Act.
20. The diversion or bye pass of any discharge from facilities utilized by the applicant to maintain compliance with the terms and conditions of this consent is prohibited except.
  - (i) Where unavoidable to prevent loss of life or some property damage or
  - (ii) Where excessive storm drainage or run off would damage facilities necessary for compliance with terms and conditions of this consent. The applicant shall immediately notify the consent issuing authority in writing of each such diversion or bye-pass.
21. The industry shall ensure that no water pollution problem is created in the area due to discharge of effluents from its industrial premises.

CS

am

"This is computer generated document from OCMMS by PPCB"



Hill Side Concrete Plant, Vill Bringali, Mukerian, Hoshiarpur, 144211

Page 5

Anjan Singh  
Divisional Forest Officer  
Dasuya Forest Division Dasuya



22. The industry shall comply with the conditions imposed if any by the SEIAA/MOEF in the Environmental Clearance granted to it as required under EIA notification dated 14/9/06, if applicable.
23. The industry shall earmark a land within their premises for disposal of boiler ash in an environmentally sound manner, and / or the industry shall make necessary arrangements for proper disposal of fuel ash in a scientific manner and shall maintain proper record for the same, if applicable.
24. The industry shall obtain and submit Insurance cover as required under the Public Liability Insurance Act, 1991.
25. The industry shall submit a site emergency plan approved by the Chief Inspector of Factories, Punjab as applicable.
26. The industry shall provide proper and adequate air pollution control arrangements for control emission from its coal/fuel handling area, if applicable.
27. The Industry shall comply with the code of practice as notified by the Government / Board for the type of Industries where the siting guidelines / code of practice have been notified
28. Solids, sludge, filter backwash or other pollutant removed from or resulting from treatment or control of waste waters shall be disposed off in such a manner so as to prevent any pollutants from such materials from entering into natural water.
29. The industry shall submit a detailed plan showing therein, the distribution system for conveying waste-waters for application on land for irrigation along with the crop pattern to be adopted throughout the year.
30. The industry shall not irrigate the vegetable crops with the treated effluents which are used/ consumed as raw.
31. The industry shall ensure that its production capacity & quantity of trade effluent do not exceed the quantity mentioned in the NOC and shall not carry out any expansion without the prior permission/NOC of the Board.
32. All amendments/revisions made by the Board in the emission/stack height standards shall be applicable to the industry from the date of such amendments/revisions.
33. The industry shall not cause any nuisance/traffic hazard in vicinity of the area.
34. The industry shall maintain the following record to the satisfaction of the Board :-
  - (i) Log books for running of air pollution control devices or pumps/motors used for it.
  - (ii) Register showing the result of various tests conducted by the industry for monitoring of stack emissions and ambient air.
  - (iii) Register showing the stock of absorbents and other chemicals to be used for scrubbers.
35. The industry shall ensure that there will not be significant visible dust emissions beyond the property line.
36. The industry shall establish sufficient number of piezometer wells in consultation with the concerned Regional Office, of the Board to monitor the impact on the Ground Water Quantity due to the industrial operations, if applicable.
37. The industry shall provide adequate and appropriate air pollution control devices to contain emissions from handling, transportation and processing of raw material & product of the industry

  
  
Anjan Singh  
Divisional Forest Officer  
Dasuya Forest Division Dasuya



28/03/2023

(Shiv Kumar)  
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)

B. SPECIAL CONDITIONS

- 1) The project proponent shall establish stone crusher in Khasta no. 83/4, 83/3 mentioned in the report submitted from SDM Revenue Department, Mukerian.
- 2) The project proponent shall comply vide no. 457/MC dated 21.09.2021
- 3) The project proponent shall comply all the guidelines issued by the CPCH/PPCH
- 4) The project proponent shall not operate stone crusher under the Water Act, 1974 and Air Act, 1981 without permission of the Board.
- 5) The project proponent shall obtain necessary permission from the all regulatory Department before start of construction.
- 6) The industry shall comply with the Punjab Minor Mineral (First Amendment) Rules, 2022 issued vide notification 29.10.2022 issued by the Department of Water Resources.




28/01/2023

(Shly Kumar)  
Environmental Engineer

For & on behalf

of

(Punjab Pollution Control Board)



Anjan Singh  
Divisional Forest Officer  
Dasuya Forest Division Dasuya



ਦਫਤਰ ਜਿਲਾ ਨਗਰ ਯੋਜਨਾਕਾਰ, ਹੁਸ਼ਿਆਰਪੁਰ  
ਰੂਮ ਨੰ. 301, ਤੀਸਰੀ ਮੰਜਿਲ, ਜਿਲਾ ਪ੍ਰਬੰਧਕੀ ਕੰਪਲੈਕਸ, ਹੁਸ਼ਿਆਰਪੁਰ

ਵੱਲ,

Sh. Mohan Lal S/o Sh. Ran Singh,  
VPO Bhambotar, Tehsil Mukerian,

District Hoshiarpur,

ਯਾਦ ਪੱਤਰ ਨੰ. 155

ਡੀਟੀਪੀ (ਐਚ)/ CF-1

ਮਿਤੀ: 20.02.2022

ਵਿਸ਼ਾ:-

Application regarding land use Classification for Stone Crusher at Vill Bringli, H.B.No. 610,  
Tehsil Mukerian(Talwara), Distt. Hoshiarpur.

ਹਵਾਲਾ:-

ਆਪ ਜੀ ਪ੍ਰਤੀ ਬੇਨਤੀ ਮਿਤੀ ਨਿਲ ਦੇ ਸਬੰਧ ਵਿੱਚ।

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਅਤੇ ਹਵਾਲੇ ਅਧੀਨ ਪੱਤਰ ਨਾਲ ਨੱਥੀ ਦਸਤਾਵੇਜ਼ਾਂ ਨੂੰ ਵਾਚਿਆ ਗਿਆ ਅਤੇ ਮੌਕਾ ਰਿਪੋਰਟ  
ਕਰਵਾਈ ਗਈ ਜਿਸ ਅਨੁਸਾਰ:-

1. ਸਾਈਟ ਤਲਵਾੜਾ-ਦੌਲਤਪੁਰ ਰੋਡ ਤੇ ਦੌਲਤਪੁਰ ਵੱਲ ਜਾਂਦੇ ਹੋਏ ਤਲਵਾੜਾ ਤੋਂ ਲੱਗਭੱਗ 5.7 ਕਿਲੋਮੀਟਰ ਦੂਰੀ ਤੋਂ  
ਖੱਬੇ ਹੱਥ ਨਿਕਲੇ ਕੱਚੇ ਰਸਤੇ ਤੇ ਲੱਗਭੱਗ 01 ਕਿਲੋਮੀਟਰ ਮੀਟਰ ਦੂਰੀ ਤੇ ਖੱਬੇ ਹੱਥ ਪਿੰਡ ਬਤਿੰਗਲੀ  
(ਹ.ਬ.ਨੰ.610) ਤਹਿਸੀਲ ਮੁਕੇਰੀਆ(ਤਲਵਾੜਾ) ਜਿਲ੍ਹਾ ਹੁਸ਼ਿਆਰਪੁਰ ਦੇ ਖਸਰਾ ਨੰ. 83/4,83/3, ਵਿੱਚ ਪੈਂਦੀ ਹੈ,  
ਜਿਸਦਾ ਕੁੱਲ ਰਕਬਾ ਲਗਭਗ 11.76 ਕਨਾਲ ਹੈ।
2. ਸਾਈਟ ਨੇਟੀਫਾਈਡ ਲੋਕਲ ਪਲੈਨਿੰਗ ਏਰੀਆ ਤਲਵਾੜਾ ਵਿੱਚ ਪੈਂਦੀ ਹੈ, ਜਿਸ ਦਾ ਮਾਸਟਰ ਪਲੈਨ ਅਜੇ ਤਿਆਰ ਕੀਤਾ  
ਜਾਣਾ ਹੈ। ਮਾਸਟਰ ਪਲੈਨ ਤਲਵਾੜਾ ਬਣਨ ਦੀ ਸੂਰਤ ਵਿੱਚ ਸਾਈਟ ਵਾਲੇ ਰਕਬੇ ਨੂੰ ਆਲੇ-ਦੁਆਲੇ ਦੇ ਰੁਝਾਨ ਦੇ ਮੱਦੇ  
ਨਜ਼ਰ ਐਗਰੀਕਲਚਰ ਜੇਨ ਕੀਤੇ ਜਾਣ ਦੀ ਸੰਭਾਵਨਾ ਹੈ। ਯੂਨੀਫਾਈਡ ਜ਼ੋਨਿੰਗ ਰੈਗੂਲੇਸ਼ਨ ਐਂਡ ਡਿਵੈਲਪਮੈਂਟ ਕੰਟਰੋਲ  
-2018 ਅਨੁਸਾਰ ਐਗਰੀਕਲਚਰ ਜੇਨ ਵਿੱਚ ਸਟੇਨ ਕਰੈਸ਼ਰ ਦੀ ਐਕਟੀਵਿਟੀ ਆਗਿਆ ਯੋਗ ਹੈ। ਪ੍ਰਾਰਥੀ PRTPD  
ਐਕਟ 1995 ਦੀ ਧਾਰਾ 79 ਅਤੇ ਬਾਕੀ ਉਪਬੰਧਾਂ ਨੂੰ ਮੰਨਣ ਦਾ ਪਾਬੰਦ ਹੋਵੇਗਾ। ਕਿਉਂਜੋ ਸਾਈਟ ਡੀਲਿਸਟਿਡ  
ਏਰੀਆ ਆੱਫ ਸੈਕਸ਼ਨ 4 ਆੱਫ ਪੀ.ਐਲ.ਪੀ.ਏ. ਵਿੱਚ ਪੈਂਦੀ ਹੈ, ਪੰਜਾਬ ਸਰਕਾਰ ਦੇ ਵਣ ਅਤੇ ਜੰਗਲੀ ਜੀਵ ਸੁਰੱਖਿਅਤ  
ਵਿਭਾਗ (ਵਣ ਸ਼ਾਖਾ) ਨੇਟੀਫਿਕੇਸ਼ਨ ਨੰ. 2945 ਮਿਤੀ 04.05.2010 ਅਨੁਸਾਰ "The state Government Shall  
And Sure That no commercial Activity is permitted on search D-listed land"
3. ਸਾਈਟ ਵਿੱਚ ਕਿਸੇ ਵੀ ਤਰ੍ਹਾਂ ਦੀ ਡਿਵੈਲਪਮੈਂਟ ਤੋਂ ਪਹਿਲਾਂ ਆਪ ਬਾਕੀ ਵਿਭਾਗਾਂ ਪਾਸੋਂ ਐਨ.ਓ.ਸੀ. ਪ੍ਰਾਪਤ ਕਰਦੇ ਹੋਏ  
ਸਰਕਾਰ ਦੀ ਨੇਟੀਫਿਕੇਸ਼ਨ ਨੰ. 13/41/2021-6HG2/2684 ਮਿਤੀ 19/10/2022 ਅਨੁਸਾਰ ਬਿਲਡਿੰਗ  
ਪਲੈਨ ਦੀ ਪ੍ਰਵਾਨਗੀ ਕੰਪੀਟੈਂਟ ਅਥਾਰਟੀ ਡਾਇਰੈਕਟਰ, ਫੈਕਟਰੀਸ ਪੰਜਾਬ ਪਾਸੋਂ ਪ੍ਰਾਪਤ ਕਰਨ ਦੇ ਪਾਬੰਦ ਹੋਵੇਗੇ।

ਨੋਟ:- ਇਹ ਸੂਚਨਾ ਕੇਵਲ ਮਾਸਟਰ ਪਲੈਨ ਦੀਆਂ ਤਜਵੀਜ਼ਾਂ ਅਨੁਸਾਰ ਸਾਈਟ ਦਾ ਲੈਂਡ ਯੂਜ਼ ਕਲਾਸੀਫਿਕੇਸ਼ਨ ਦੱਸਣ ਦੇ ਸਬੰਧ  
ਵਿੱਚ ਹੈ। ਇਸ ਸੂਚਨਾ ਨੂੰ ਵਿਸ਼ੇ ਅਧੀਨ ਸਾਈਟ ਉਪਰ ਬਣੀ/ਬਣਨ ਵਾਲੀ ਬਿਲਡਿੰਗ ਦੀ ਮੰਜੂਰੀ ਨਾ ਸਮਝਿਆ ਜਾਵੇ ਜੀ।

915  
Anjan Singh  
Divisional Forest Officer  
Dasuya Forest Division Dasuya

ਨਵਲ ਕਿਸ਼ੋਰ ਸਰਮਾ  
ਜਿਲ੍ਹਾ ਨਗਰ ਯੋਜਨਾਕਾਰ,  
ਹੁਸ਼ਿਆਰਪੁਰ



**TRANSLATION PUNJABI TO ENGLISH VERSION**

**Office of District Town/Nagar Planner, Hoshiarpur**

**Room No:- 301, 3<sup>rd</sup> Floor, District Management Complex,**

**Hoshiarpur.**

To,

Sh. Mohan Lal S/o Sh. Ran Singh,

VPO Bhambotar, Tehsil Mukerian,

District Hoshiarpur,

Memorandum No. 155

DTP (H)/(F)

Dated : 20-02-2022

**Subject:- Application regarding land use Classification for Stone**

**Crusher at Vill Bringli, H.B.No. 610, Tehsil Mukerian (Talwara),**

**Distt. Hoshiarpur.**


**Reference :- In relation to your request date nil.**

The documents attached to the letter under the above subject and references were read/perused and in spot report was conducted, according to which -

1. Site Talwara - Daulatpur Road going towards Daulatpur at about 5.7 km distance from Talwara take left hand from unpaved road about 01 km distance on left hand village Bringali (H.B. No. 610) Tehsil Mukerian (Talwara) District Hoshiarpur vide Khasra No. 83/4, 83/3, which has a total area about 11.76 Kanals.

2. The site falls in the Notified Local Planning Area Talwara, the master plan of which is yet to be prepared. In case of Master Plan Talwara, the site area is likely to be Zone Agriculture considering the surrounding trend. According to the Unified

Translation Copy of the Document Produced  
ATTESTED  
ANJUCH ADHARY  
Notary Public Mukerian  
Distt. Hoshiarpur (Punjab)



25 APR 2023

Anjan Singh  
Divisional Forest Officer  
Dasuya Forest Division Dasuya

## TRANSLATION PUNJABI TO ENGLISH VERSION

Zoning Regulation and Development Control-2018, the activity of stone crusher is permissible in the agriculture zone. The applicant shall be bound to comply with Section 79 and other provisions of the PRTE Act, 1995. Since the site falls in the Delisted Area of Section 4 of PSPA, as per Punjab Government Forest and Wildlife Protection Department (Forest Branch) Notification No. 2945 dated 04.05.2010 "The state Government Shail and Sure that no commercial activity is permitted on search D-listed land".

3. Before any development in the site, you should obtain NOC from other departments as per Government Notification no. 13/41/2021-6HG2/ 2684 dated 19/10/2022 will be bound to obtain the approval of the building plan from the Competent Authority Director, Factories Punjab.

Note:- This information is only in relation to specifying the land use classification of the site as per the recommendations of the Master Plan. This information should not be construed as approval of the building constructed/to be constructed on the subject site.

AS  
Anjan Singh  
Divisional Forest Officer  
Dasuya Forest Division Dasuya



Sd/----in Punjabi  
(Nawal Kishor Sharma)  
(District Town/Nagar Planner)  
Hoshiarpur.

25 APR 2023

Translation Copy of the Document produced  
ATTES-ED  
ANJU CHOWDHARY  
Notary Public, Hoshiarpur  
Distt. Hoshiarpur (Punjab) India



ਨੰਬਰ : 154748  
ਵੱਲ, /ਕਰਸ਼ੋਰ

ਮਿਤੀ : 20/04 /2023


ਸ਼੍ਰੀ ਮੋਹਨ ਲਾਲ ਪੁੱਤਰ ਸ਼੍ਰੀ ਰੰਨ ਸਿੰਘ,  
ਨਿਵਾਸੀ ਭੰਬੋਤਾਰ, ਤਹਿਸੀਲ ਮੁਕੇਰੀਆਂ,  
ਜ਼ਿਲ੍ਹਾ ਹੁਸ਼ਿਆਰਪੁਰ ( ਪੰਜਾਬ)।

ਵਿਸ਼ਾ : ਐਨ.ਓ.ਸੀ ਜਾਰੀ ਕਰਵਾਉਣ ਸਬੰਧੀ :- M/s Hill Side Concrete Plant in revenue estate of Vill. Brinjali, Tehsil Mukerian, Distt. Hoshiarpur.

ਹਵਾਲਾ:- ਆਪ ਜੀ ਦੀ ਪ੍ਰਤੀ ਬੇਨਤੀ ਮਿਤੀ 06-04-2023 ਅਤੇ ਭਾਰਤ ਸਰਕਾਰ, Ministry of Environment, Forest and Climate change, Chandigarh letter No.9-PBB329/2022-CHA dated 07-04-2022.

ਉਪਰੋਕਤ ਵਿਸ਼ੇ ਦੇ ਸਬੰਧ ਆਪ ਵਲੋਂ ਦਿੱਤੀ ਦਰਖਾਸਤ ਦੇ ਸਬੰਧ ਵਿੱਚ ਉਪ ਮੰਡਲ ਅਸਫਰ-ਕਮ-ਸਹਾਇਕ ਜ਼ਿਲ੍ਹਾ ਮਾਈਨਿੰਗ ਅਫਸਰ, ਦਸੂਹਾ ਜਲ ਨਿਕਾਸ ਉਪ ਮੰਡਲ, ਦਸੂਹਾ ਵਲੋਂ ਆਪਣੇ ਪੱਤਰ ਨੰ: 156 /ਕਰੈਸ਼ਰ ਮਿਤੀ 11-04-2023 ਰਾਹੀਂ ਸ਼ਿਫਾਰਸ ਸਹਿਤ ਰਿਪੋਰਟ ਕੀਤੀ ਹੈ ਕਿ ਉਹਨਾਂ ਜੂਨੀਅਰ ਇੰਜੀਨੀਅਰ ਸ਼੍ਰੀ ਜਤਿਨ ਗਰਗ ਨੇ ਮਿਤੀ 11-04-2023 ਨੂੰ ਹਿੱਲ ਸਾਈਟ ਕੰਕਰੀਟ ਪਲਾਟ ਦੇ ਮਾਲਕ ਸ਼੍ਰੀ ਮੋਹਨ ਲਾਲ ਨਾਲ ਪ੍ਰੋਪੋਜ਼ਡ ਸਾਈਟ ਦਾ ਮੋਕਾ ਦੇਖਿਆ ਗਿਆ। ਪ੍ਰੋਪੋਜ਼ਡ ਸਾਈਟ ਦੇ ਕੁਆਰਡੀਨੇਟ 31.894175, 75.926861 ਹਨ। ਨੁਕਤਾ ਨੰ: 3 ਅਤੇ 5 ਇਸ ਵਿਭਾਗ ਨਾਲ ਸਬੰਧਤ ਹਨ, ਜਿਹਨਾਂ ਦੀ ਰਿਪੋਰਟ ਹੇਠ ਲਿਖੇ ਅਨੁਸਾਰ ਹੈ:-

- 3) ਇਹ ਕਿ ਤੁਹਾਡੀ ਫਾਰਮ ਪੰਜਾਬ ਕਰੈਸ਼ਰ ਪਾਲਿਸੀ-2022 ਵਿੱਚ ਦਰਜ ਸ਼ਰਤਾਂ ਦੀ ਇੰਨਬਿੰਨ ਪਾਲਣਾ ਕਰਨ ਲਈ ਪੰਬਾਦ ਹੋਵੇਗਾ ਜਿਸ ਨਾਲ ਇਸ ਵਿਭਾਗ ਨੂੰ ਕੋਈ ਇੰਤਰਾਜ ਨਹੀਂ ਹੋਵੇਗਾ।
- 5) ਪ੍ਰੋਪੋਜ਼ਡ ਸਾਈਡ ਸੁਆ ਖੱਡ/ ਬਰਿੰਗਲੀ ਖੱਡ ਦੇ ਕੱਡੇ ਤੋਂ 100 ਮੀਟਰ ਦੀ ਦੂਰੀ ਤੋਂ ਵੱਧ ਹੈ ਅਤੇ ਵਾਟਰ ਕੋਰਸ ਦੀ ਕੰਡੀਸ਼ਨ ਪੂਰੀ ਕਰਦਾ ਹੈ।

  
ਕਾਰਜਕਾਰੀ ਇੰਜੀਨੀਅਰ  
ਹੁਸ਼ਿਆਰਪੁਰ ਜਲ ਨਿਕਾਸ-ਕਮ-  
ਮਾਈਨਿੰਗ ਅਤੇ ਜ਼ਿਆਲੋਜੀ ਮੰਡਲ  
ਹੁਸ਼ਿਆਰਪੁਰ, ਜ.ਸ.ਵਿ. ਪੰਜਾਬ  
W

ਸੀ.ਸੀ:- ਉਪ ਮੰਡਲ ਅਸਫਰ-ਕਮ-ਸਹਾਇਕ ਜ਼ਿਲ੍ਹਾ ਮਾਈਨਿੰਗ ਅਫਸਰ, ਦਸੂਹਾ ਜਲ ਨਿਕਾਸ ਉਪ ਮੰਡਲ, ਦਸੂਹਾ ਨੂੰ ਉਹਨਾਂ ਦੇ ਪੱਤਰ ਨੰ: 156 /ਕਰੈਸ਼ਰ ਮਿਤੀ 11-04-2023 ਦੇ ਹਵਾਲੇ ਵਿੱਚ।

  
Anjan Singh  
Divisional Forest Officer  
Dasuya Forest Division Dasuya



**TRANSLATION PUNJABI TO ENGLISH VERSION**

Number : 1547-48

/ Crasher

Dated : 20/04/2023

To,

Mr. Mohan Lal son of Mr. Ran Singh,

Resident of Bhambotar, Tehsil Mukerian,

District Hoshiarpur (Punjab).

**Subject: - Regarding issuance of NOC :- M/s Hill Side Concrete Plant in revenue estate of Vill. Brinjali, Tehsil Mukerian, Distt Hoshiarpur.**

**Reference: - As per your request dated 06-04-2023 and Government of India, Ministry of Environment, Forest and Climate change, Chandigarh letter No. 9 - PBB329/2022- CHA dated 07-04-2022.**

Regarding the application given by you in relation/connection with the above subject, Sub-Division Officer-Cum-Assistant District Mining Officer, Dasuya Water Drainage Sub-division, Dasuya has reported with recommendation through his letter No: 156/Crasher dated 11-04-2023. That Junior Engineer Mr. Jatin Garg on 11-04-2023 saw the opportunity of the proposed site with Mr. Mohan Lal, the owner of Hill Site Concrete Plot. The coordinates of the proposed site are 31, 894175, 75, 926861. Point No. 3 and 5 are related to this department, whose report is as follows:

as  
AM  
Anjan Singh  
District Forest Officer  
Dasuya Forest Division Dasuya

25 APR 2023

Translation Copy of the document provided  
ANJAN SINGH  
Notary Public  
Distt. Hoshiarpur, Punjab  
India

## TRANSLATION PUNJABI TO ENGLISH VERSION

3) That your Farm will be bound to strictly follow the conditions mentioned in the Punjab Crasher Policy- 2022 which will not any objection of this department.

5) The proposed side Sua segment (Sua Khad) is more than 100 meters away from the edge of the Bringali segment (Bringali Khad) and fulfills the water course condition.

Sd/-----in English

Executive Engineer

Hoshiarpur Water Drainage- Cum,

Minning and Geology Division,

Hoshiarpur, J.S.V. Punjabi

Sd/---in Short

**C.C:- In reference to their letter No: 156 / Crasher dated 11-04-2023 to Sub Division Officer - Cum - Assistant District Minning Officer, Dasuya Water Drainage Sub Division, Dasuya.**



25 APR 2023

Anjan Singh  
Platoon Forest Officer  
Dasuya Forest Division Dasuya

Translation Copy of the Document Produces  
ATTESTED  
ANJU CHOUDHARY  
Notary Public Mukerian  
Distt. Hoshiarpur (P) India