

GOVERNMENT OF ANDHRA PRADESH
FOREST DEPARTMENT

Rc.No.2345/2020/S4,
Dated: 06.07.2021.

Office of the District Forest Officer,
Vizianagaram

From
Sri Sachin Gupta, I.F.S.,
District Forest Officer,
Vizianagaram.

To
The Executive Engineer,
Panchayat Raj (PIU),
Vizianagaram.

Sir,

Sub: Panchayat Raj (PIU) Division, Vizianagaram - RCPLWE programme - Formation of road from Vetaganivalasa to Tangalam of Pachipenta mandal Inspection of proposed road site as per the DGPS map along with user agency - Submission for authentication from the Prl. Chief Conservator of Forests, A.P. Guntur - Regarding.

- Ref: 1) Prl.C.C.F., A.P. Guntur Rc.No.15034/33/2020/FCA-SEC-PCCF/FCA-3, dt: 12.07.2020.
2) Executive Engineer, P.R. (PIU), VZM Rc.No.457/2020/AE1/RCPLW, dt: 28.12.2020.
3) Executive Engineer, P.R. (PIU), VZM Rc.No.353/2020/AE1/RCPLW, dt: 25.02.2021.
4) D.F.O. VZM Rc.No.2345/2020/S4, dated: 25.02.2021.
5) F.R.O. Saluru Rc.No.622/2020, dt: 01.03.2021.
6) D.F.O. VZM Rc.No.2345/2020/S4, dated: 02.03.2021.
7) E.E. P.R. (PIU), Vizianagaram Rc.No.353/2020/AE1/RCPLW, dt: 02.03.21
8) D.F.O. VZM Rc.No.2345/2020/S4, dated: 01.04.2021.
9) E.E. P.R. (PIU), Vizianagaram Rc.No.353/2020/AE1/RCPLW, dt: 22.05.21
-oOo-

I wish to inform that the Prl. Chief Conservator of Forests, A.P., Guntur in the reference 1st cited has accorded permission to conduct D.G.P.S. survey in connection with diversion of Forest land for the road proposed by the Executive Engineer, Panchayat Raj, (PIU), Vizianagaram from Vetaganivalasa to Tangalam of Pachipenta mandal.

In the reference 6th cited it is informed to the user agency that 0.26 hectares of R.F. area is additionally required as per the Range report of Saluru against the area of 3.32 hectares as shown in D.G.P.S. map by the user agency. The undersigned has also mentioned on the D.G.P.S. map to restrict the width of the road is 6.95 meters only. It is also requested the user agency to rectify the D.G.P.S. map for the actual requirement of R.F. area.

In the reference 7th cited, the Executive Engineer, Panchayat Raj (PIU), Vizianagaram has also promised to restrict the width upto 6.95 meters only. But in the reference 9th cited the Executive Engineer, Panchayat Raj, (PIU), Vizianagaram has submitted the Part-I proposals duly showing the required Forest area is 4771 meters length x 7.06 meters width = 3.37 hectares, which is contrary to the his report dated: 02.03.2021.

Under the above circumstances, the (6) sets of road proposals are returned herewith to the user agency with a request to edit the part-I as per the ground reality, since the required length is 4850 meters x width 6.95 meters = 3.37 hectares and submit the same to this office to prepare part-II, so as to upload the same in Parivesh portal at the earliest.

Encl: 6 sets (Books)

Yours faithfully,
(Sd.) Sachin Gupta,
District Forest Officer,
Vizianagaram.

//t.c.b.o//

11 f. J. Hernandez
Superintendent. 6/27/2014