

भारत सरकार
पर्यावरण, वन एवं जलवायु परिवर्तन
मंत्रालय
क्षेत्रीय कार्यालय (उत्तर-मध्य क्षेत्र)
25 सुभाष रोड, देहरादून-248001
दूरभाष: 0135-2650809
फैक्स-0135-2653010
ईमेल - moef.ddn@gov.in



GOVERNMENT OF INDIA
MINISTRY OF ENVIRONMENT, FOREST &
CLIMATE CHANGE
REGIONAL OFFICE (NORTH CENTRAL ZONE)
25 SUBASH ROAD, DEHRADUN-248001
PHONE- 0135-2650809
FAX- 0135-2653010
Email- moef.ddn@gov.in

पत्र सं 8बी/एच.पी./01/47/2020/एफ.सी. 505

दिनांक: 01/07/2020

सेवा में,

नोडल अधिकारी एवं मुख्य वन संरक्षक (एफ.सी.ए.)
हिमाचल प्रदेश सरकार,
वन विभाग, टालैंड, शिमला।

विषय: Diversion of 12.988 ha of forest land in favour of M/s GEE CEE, Hydro Power Project within the jurisdiction of Rampur Forest Division, Distt. Shimla, H.P (online no. FP/HP/HYD/42328/2019)

संदर्भ: नोडल अधिकारी एवं अपर प्रमुख मुख्य वन संरक्षक (एफ.सी.ए.), हि0प्र0 के पत्रांक एफ.टी. 48-3690/2017 (एफ.सी.ए.) दिनांक 18.06.2020

महोदय,

उपरोक्त सन्दर्भित पत्र का आशय ग्रहण करते हुए मुझे आपको यह सूचित करने का निर्देश हुआ है कि प्रस्ताव पर ध्यानपूर्वक विचार करने के उपरांत निम्नलिखित कमियां पाई गयी हैं:

- The geo-referenced map of area proposed for diversion uploaded in in online at para C (iv) is not legible. The state govt. may upload the legible copy for the same at designated place in online portal.
- The State Govt. may upload the FRA Certificate with all annexures in the online portal.
- The Techno- Economic Clearance is provided for enhanced capacity of 10 MW but the Implementation Agreement is uploaded for 5 MW which need to be revised for 10 MW.
- The State Govt. has mentioned that the aerial distance of the project site from nearest PAs is 2 Km while in DSS analysis, it is found that the project touched the boundary of PAs. Hence, the state govt. may submit the clarification from CWLW and upload the same in the online portal.
- State Govt. may submit the comments regarding requirements of animal passage plan from CWLW and upload it in online portal.
- The state govt. may do the necessary corrections in online para 8 (iii) in view of point 4 and 5 mentioned above.
- As per guideline the CA required to be proposed over non-forest land or waste land as per guideline Para 2.4 (iii).
- The KML file of CA area is not been uploaded properly so the DSS could not be done. Hence, the state govt. may submit the same in online portal correctly.
- It is observed that earlier the proposal was submitted for area 1.0599 ha which is revised now for 12.988 ha but the enumeration is still 108, which needs to be reviewed and corrected if required.
- The state govt. may provide information whether any river basin study has been carried out for this river and if not, the State Govt. may provide comments on the future plan, if any in view of the carrying capacity of the river basin to generate power.

11. The state govt. may submit the comment of DFO after field verification in view of the diversion area polygon is found 'Inviolate' in VDF rule 1 of DSS analysis.
12. Transmission Line has not been shown in the map uploaded at para-C (iv) of Part-I. This map has been prepared in Sol Toposheet which is not proper. Transmission Line has also not been shown in the Sol Toposheet map uploaded at Para-C (iii).
13. Transmission line has not been shown in KML file uploaded at Para-C of Part-I.
14. Calculation of Cost of forest diversion NPV has been taken as 1,15,50,236/- instead of 90,78,612/- and the cost of CA has been taken as 10,06,580/- instead of 68,24,754/- in the document uploaded at para-6 of Part-I. Further, the Table-B and C uploaded doesn't match with the document provided in hard copy.
15. In Para-M (i) installed capacity is mentioned '0' instead of 10 MW.
16. Since, the tunnels and a few more components like surge shaft and Adits etc. are likely to be underground. Hence, the state govt. is required to give break up of 12.988 ha area is surface land and underground land. Further, it may also be clarified if the surface rights over the underground land is proposed to be sought or not?

यदि चाही गयी सूचना पत्र जारी होने की तिथि के 60 दिनों (अधिकतम 90 दिनों) के भीतर इस कार्यालय में प्राप्त नहीं हुई तो प्रस्ताव को निरस्त किया जा सकता है।

भवदीय,

[Signature]
11/7/20

(डा० योगेश गैरोला)
तकनीकी अधिकारी

Endst. No. 1602 Dated Rampur, the 4-7-2020

Copy is forwarded to DFO Rampur for information and necessary action. He is requested to attend the above online observations as raised by the GoI and submit point wise reply to this office immediately.

[Signature]
Conservator of Forests,
Rampur Bushahr, H.P.

[Signature]
3/07

[Handwritten]
g/sale
3/07