



भारत सरकार
GOVERNMENT OF INDIA
एकीकृत क्षेत्रीय कार्यालय
INTEGRATED REGIONAL OFFICE
पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय
MINISTRY OF ENVIRONMENT, FOREST AND CLIMATE CHANGE
लॉड सीब लुम्बतंगेन/LAW-U-SIB, LUMBATNGEN,
शिल्लोंग/SHILLONG-793021
TEL. 0364-2537278; FAX. 0364-2536041



E-mail: moefro.shillong@gov.in

No.3-MN C 010/2022-SHI/ 790-91

15th June, 2022

सेवा मे,

अतिरिक्त प्रमुख सचिव / Addl. Chief Secretary,
वन और पर्यावरण विभाग / Forest and Environment Department
मणिपुर की सरकार / Government of Manipur,
इम्फाल -Imphal – 795 001.

Sub : Proposal for diversion of 0.898 ha of forest land for construction of Trevi Hospital at Meitei Langol, Imphal West.- reg.

Ref : Govt of Manipur letter F.No.27/62/2021-For & Emt/336 dated 24.01.2022.

Sir,

Please refer to the Government of Manipur letter No. F.No.27/62/2021-For & Emt/336 dated 24.01.2022 on the subject mentioned above, seeking prior approval of the Central Government in accordance with Section 2 of the FCA, 1980. The proposal forwarded by the State Govt has been examined in this office in the light of Forest (Conservation) Act, 1980, and rules/guidelines framed thereunder. The State Govt. is requested to provide following additional information for further processing of the case: -

- 1) The proposal involves violation of Fc Act, 1980. The State Govt may submit a self-contained report of the violation committed and action as per para 3 A (i) & (ii) as per Ministry's letter dated 29/1/2018 as mentioned by it.
- 2) Whether the construction work has been completed and the area of violation may be specified.
- 3) This is not a site specific for non-forestry activities. Whether alternatives have been explored with detail justification of rejection of the sites and selection of the proposed site.
- 4) FRA submitted is for an area of 0.777 ha whereas this proposal is for 0.898 ha. The same may be revised accordingly.
- 5) The NPV to be calculated as per latest guideline dated 06.01.2022 & 19.01.2022.
- 6) CA scheme may be re-submitted with 10 years maintenance period.
- 7) SoI toposheet map depicting the proposed diversion area with GPS Co-ordinates and to be duly signed by DFO concerned.
- 8) Under the General Approval guidelines for the diversion of forest land for construction of hospital less than 1 ha. The State Govt to clarify for not processing under General Approval when the proposal submitted now the work has already been constructed.

In view of the above, the State Govt is requested to submit the information at the earliest so as to enable this office to take further necessary action.

भवदीय,

(Mrs. L.J.Syiemiong)

उप वन महानिरीक्षक (केंद्रीय)/

Deputy Inspector General of Forests (C)

Copy to:

1. प्रधान मुख्य वन संरक्षक/ Principal Chief Conservator of Forests & HoFF, मणिपुर सरकार/
Government of Manipur, वन और पर्यावरण विभाग/ Forest & Environment Department, इम्फाल /
Imphal -795001.

वन उप महानिरीक्षक (केंद्रीय)

/Deputy Inspector General of Forests (C)

0/c