

I/10493/2022



भारत सरकार/GOVERNMENT OF INDIA  
एकीकृत क्षेत्रीय कार्यालय  
Integrated Regional Office  
पर्यावरण, वन और जलवायु परिवर्तन मंत्रालय  
Ministry of Environment, Forest and Climate Change  
सी.जी.ओ. कॉम्प्लेक्स, शिवालिक खण्ड, लौंगवुड  
CGO Complex, ShivalikKhand, Longwood  
शिमला, हिमाचल प्रदेश-171001  
Shimla, Himachal Pradesh - 171001



ईमेल/Email : iro.shimla-mefcc@gov.in  
दूरभाष/Tel.: 0177-2658285  
0177-2652541  
फैक्स/Fax: 0177-2657517

पत्र सं०: एफ.सी. /एच.पी. सी. /09 /24 /2022

दिनांक: 29.08.2022

सेवा में,

अतिरिक्त मुख्य सचिव (वन)  
हिमाचल प्रदेश सरकार,  
आर्म्सडेल बिल्डिंग, शिमला।  
(Email: - forestsecy-hp@nic.in)

**विषय: Diversion of 0.2803 ha of forest land in favour of Revenue Department, Directorate of land Record Shimla, HP, for the construction of Tehsil Office Building at Kupvi, within the jurisdiction of Chopal Forest Division, District Shimla, Himachal Pradesh. (Online Proposal No. FP/HP/Others/145487/2022).**

संदर्भ: नोडल अधिकारी-सह-अतिरिक्त प्रधान मुख्य अरण्यपाल (एफ.सी.ए.), हि0प्र0 के पत्रांक 48-5444/2021 (एफ.सी.ए.) दिनांक 16.08.2022.

महोदय,

उपरोक्त विषय पर संदर्भित पत्र द्वारा प्रस्तुत प्रतिउत्तर का ध्यानापूर्वक अवलोकन करने के पश्चात आपको यह सूचित करना है कि प्रस्ताव में निम्नलिखित कमियां पाई गयी हैं। अतः राज्य सरकार निम्न बिन्दुओं पर आवश्यक सूचनाएं प्रेषित करने का कष्ट करें, ताकि आगामी कार्यवाही सुनिश्चित की जा सके :-

1. A certificate has been provided regarding the population to be benefitted from the proposed project, however, the beneficiary villages are required to be marked on the KML file.
2. From the revised Layout Plan it can be observed that the back area not utilized in any components of the proposed building has not been reduced. The same is required to be reduced and accordingly diversion area may be revised to reduce the forest land involved.
3. Boundary of the proposed diversion shown in the Layout plan is not matching with the boundary shown in the KML file. Further, the boundary of the diversion area shall be exactly of the same shape as shown in the layout plan. Needful may be done regarding the same.
4. It can be observed that no alternative site for the extant proposal has been explored. Therefore, the State Government must explore the alternative sites along with tree enumeration and area details, etc.; the same is required to be shown in the KML file and SOI toposheet. Necessary justification for accepting/rejecting sites may be provided accordingly.
5. The DFO concerned has submitted that the aerial distance of the proposed project from Churdhar WLS is approximately 8 km. Since the ESZ of Churdhar WLS has not been finally notified, the proposed project is within a 10 km radius from the boundary of the WLS/default ESZ. Therefore, comments of CWLW may be provided in this regard.

I/10493/2022

6. It has been submitted by the State Govt. that a proposed building will be accessed through land bearing khasra number 132 which is under the possession of HPPWD. Therefore, NOC from HPPWD may be provided in this regard.

7. The concerned DFO shall duly authenticate the documents submitted with the compliance of EDS raised by this office and the same shall be uploaded in the web portal.

यदि चाही गई सूचना पत्र जारी होने की तिथि के 60 दिनों के भीतर (अधिकतम 90 दिन) इस कार्यालय में प्राप्त नहीं हुई तो प्रस्ताव को निरस्त किया जा सकता है।

भवदीय,

हो/-

(सत्य प्रकाश नेगी)

क्षेत्रीय अधिकारी

प्रतिलिपि सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित:-

1. नोडल अधिकारी-सह-अतिरिक्त प्रधान मुख्य अरण्यपाल (एफ.सी.ए.), हिमाचल प्रदेश सरकार, वन विभाग, टालैंड, शिमला (E-mail: [nodalcahp@yahoo.com](mailto:nodalcahp@yahoo.com)).
2. वन मण्डल अधिकारी, चौपाल वन मण्डल, जिला-शिमला, हिमाचल प्रदेश (E-mail: [dfocho-hp@nic.in](mailto:dfocho-hp@nic.in)).