

कार्यालय—प्रमुख वन संरक्षक एवं नोडल अधिकारी, वन संरक्षण, इन्दिरानगर फॉरेस्ट कालोनी, उत्तराखण्ड, देहरादून। <u>E-Mail ID: nodalofficerddn@gmail.com, Phone/Fax: 0135 2767611</u>



पत्रांक- 2612 /12-1 देहरादून :दिनांक: 29अप्रैल, 2025

सेवा में,

उप वन महानिदेशक (के0), भारत सरकार, पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, 25 सुभाष रोड़, देहरादून।

- विषय :-- उत्तराखण्ड राज्य में राष्ट्रीय राजमार्ग संख्या-72 (झाझरा के पास) को दिल्ली--देहरादून एक्सप्रेस वे (आशारोड़ी सेक्शन के पास) से जोड़ने वाले चार लेन ग्रीनफील्ड रोड का विकास किमी0 0.050 से किमी 12.220 तक निर्माण हेतु 20.0849 है0 वन भूमि का गैर वानिकी कार्यों हेतु भारतीय राष्ट्रीय राजमार्ग प्राधिकरण को प्रत्यावर्तन | (Online Proposal No.- FP/UK/ROAD/140350/2021)
- संदर्भः भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, देहरादून का पत्र संख्या–8बी0 / यू0सी0पी0 / 06 / 67 / 2023 / एफ0सी0, दिनांक–17.03.2025 ।

महोदय,

कृपया उपर्युक्त विषयक सन्दर्भित पत्र को अवलोकन करने का कष्ट करें, जिससे भारत सरकार द्वारा विषयॉकित प्रकरण में कतिपय बिन्दुओं की सूचना चाही गयी है। भारत सरकार के उक्त सन्दर्भित पत्र के अनुपालन में प्रभागीय वनाधिकारी, देहरादून वन प्रभाग, देहरादून के द्वारा वन संरक्षक, शिवालिक वृत्त, उत्तराखण्ड, देहरादून की पत्र संख्या 3045/12–1 दिनांक 21–04–2025 **(प्रति संलग्न)** के माध्यम से इस कार्यालय को उपलब्ध करायी गई वांछित सूचना निम्न प्रकार प्रेषित है:–

SNo	EDS	Reply
1	The DFO Dehradun and Project Proponent shall submit a technical specification and details of attempts made to reduce the felling of trees and findings thereof.	 In forest area a ROW of only 30m has been proposed in most of length. The top width for a 4-lane divided highway with a minimum 2.5 m of median works out to be 23.5 in plain and rolling terrain. The ground is not exactly flat and is undulating in which cutting and fills are required would be 27.5 m for maintain adequate slopes, leaving no room for trees. The project road is falling plain and rolling terrain. The recommended ROW for 4-Lane Highways is as below:- 45 m as per IRC: 73-2023 Geometrics Design Standards for Non-Urban Road-Para 4.1, Table 4.1 (Enclosure-1) 60 m as per IRC-SP-84-2019, Manual for four laning highways-Para 2.3 (Enclosure-2) Best efforts were made to minimize the no. of trees as well as forest land proposed for diversion and alternatives is also examined but selected route is most viable with minimum tree involvement. Apart form above the following is also submitted: i) A joint inspection was conducted with the representatives of the Forest Department and NHAI on 20.07.2023 to review the alignment falling in the forest land. ii) Since this highway is planned as fully access controlled for fast moving of traffic, the ruling speed restriction of 80 kmph has been adopted. iii) During the alignment study report three alignments were studied. The adopted alignment was found to be most suitable and adopted accordingly. iv) Normally Right of Way of 60 m is adopted for 4/6 lane access controlled highways. In this project, to minimize cutting of trees a bare minimum ROW of 30 m has been adopted. It may be appreciated that the width of the structures is 25.5 m. considering some nominal width of trees and clearance from the structure, trees within 30 m width will have to be cut. v) Further, following the 89th REC's suggestion to reduce tree felling, again a joint site visit with DFO Dehradum was conducted on 05.03.2025, and the possibility of shifting the alignment over the existing 50ft f

		counting on fire line within ROW, vide letter dated 01.04.2025 (Enclosure-3) has submitted that" there is no appreciable advantage in changing the alignment. On the contrary more number of large size trees would have to be felled"
2	The project proponent shall submit an undertaking that the final outcome w.r.t Hon'ble Supreme Court Orders in the CWP (C) No. 1164/2023 dated 03.02.2025 shall be complied.	प्रयोक्ता एजेंसी द्वारा इस आशय का वचनबद्धता प्रमाण—पत्र संलग्न है कि ''उक्त परियोजना हेतु Final Outcome w.r.t Hon'ble Supreme Court Orders in the CWP (C) No-1164/2023 Dated 03-02-2025 shall be complied इसमे प्रयोक्ता अभिकरण की पूर्णतया सहमति है।''
3	The DFO Dehradun shall prepare a plan for fencing (wall fencing) around the forest land adjacent to the proposed road to avoid any encroachment and protect forest land from collateral damage. The cost of the proposed wall shall be borne by the user agency.	प्रभागीय वनाधिकारी द्वारा अवगत कराया गया है कि प्रस्तावित मोटर मार्ग एवं आबादी के बीच के वन क्षेत्र को भविष्य में अतिक्रमण से बचाने हेतु दीवार निर्माण की योजना तैयार की गई है (संलग्नक–04)। दीवार निर्माण का व्यय प्रयोक्ता एजेंसी द्वारा वहन किया जायेगा। प्रयोक्ता एजेंसी द्वारा इस सम्बन्ध में वचनबद्धता प्रमाण–पत्र उपलब्ध कराया गया है (संलग्नक–05)।
4	The DFO Dehradun shall prepare a plan for fencing (wall fencing) in the patches of adjacent forest lands inside the residential area that are prone to encroached in future. The cost shall be borne by the user agency.	प्रभागीय वनाधिकारी द्वारा अवगत कराया गया है कि प्रयोक्ता एजेंसी द्वारा वचनबद्धता प्रमाण—पत्र संलग्न किया गया है। वर्तमान में WII द्वारा उनके नियंत्रणाधीन वन क्षेत्र के चारो ओर फैन्सिंग कार्य कराया जा रहा है। इस विषय में प्रo वo द्वारा अपनी पत्र संख्या— 6297 / 12—1, दिनांक 02.04.2025 (संलग्नक—06) से विस्तृत विवरण हेतु सूचना मांगी गयी है। तद्नुसार ही अग्रेत्तर कार्यवाही करते हुए सूचना उपलब्ध करायी जायेगी।
5	The state Forest Department shall ensure that the CA area shall be planted with minimum 50% of Sal Trees.	प्रभागीय वनाधिकारी द्वारा अवगत कराया गया है कि विषयांकित प्रस्ताव में क्षतिपूरक वनीकरण हेतु चयनित क्षेत्र कालसी भूमि संरक्षण वन प्रभाग के अन्तर्गत है। इस सम्बन्ध में प्रभागीय वनाधिकारी, कालसी भूमि संरक्षण वन प्रभाग, कालसी द्वारा अपने पत्र संख्या–9755 / 12–1, दिनांक 07.04.2025 (संलग्नक–07) से अवगत कराया गया है कि क्षतिपूरक वनीकरण हेतु चयनित क्षेत्र समुद्रतल से लगभग 1200–1400 मी0 ऊंचाई पर स्थित है, जिनमें साल पौधों का रोपण किया जाना सम्भव नहीं हो पायेगा। उक्त क्षेत्र में स्थानीय प्रजाति जैसे बांज, भीमल, खड़िक, आंवला, रीठा, तेजपत्ता, दाड़िम, मेहल, काफल आदि पौधों का रोपण किया जाना सम्भव हो पायेगा।

अतः अनुरोध है कि प्रभागीय वनाधिकारी द्वारा वन संरक्षक, शिवालिक वृत्त, उत्तराखण्ड, देहरादून के माध्यम से प्रेषित प्रतिउत्तर के क्रम में प्रश्नगत प्रकरण पर वन (संरक्षण एवं संवर्धन) अधिनियम, 1980 यथासंशोधित 2023 के अन्तर्गत सैद्धान्तिक स्वीकृति निर्गत करने का कष्ट करें। संलग्न:--यथोपरि।

> (आर०क0 (मिश्र) प्रमुख वन संरक्षक, एवं नोडल अधिकारी, वन संरक्षण।

भवदीय,

संख्या- 2612 / 12-1 तद्दिनांकित।

प्रतिलिपिः--निम्नलिखित को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित।

- 1. वन संरक्षक, शिवालिक वृत्त, उत्तराखण्ड, देहरादून।
- 2. प्रभागीय वनाधिकारी, देहरादून वन प्रभाग, देहरादून।
- 3. परियोजना निदेशक, भा०रा०रा०प्रा०, पी.पई.यू., मकान, नं०–171, फेज–1, वसन्त विहार, देहरादून।

(आर0के0 मिश्र) प्रमुख वन संरक्षक, एवं नोडल अधिकारी, वन संरक्षण। Phone & Fax 0135-2658294

E-mail: cfshiwa-forest-uk@nic.in

२। अप्रैल, 2025।

कार्यालय-वन संरक्षक शिवालिक वृत्त, उत्तराखण्ड, देहरादून।



सेवा में,

पत्रांकः– 3045/ 12–1

दिनांक

⁄प्रमुख वन संरक्षक⁄नोडल अधिकारी,

वन संरक्षण, इन्दिरानगर फॉरेस्ट कालोनी,

उत्तराखण्ड देहरादून।

विषय :--

उत्तराखण्ड राज्य में राष्ट्रीय राजमार्ग संख्या—72 (झाझरा के पास) को दिल्ली—देहरादून एक्सप्रेस वे (आशारोड़ी सेक्शन के पास) से जोड़ने वाले चार लेन ग्रीनफील्ड रोड का विकास किमी0 0.050 से किमी 12.220 तक निर्माण हेतु 20.0849 है0 वन भूमि का गैर वानिकी कार्यों हेतु भारतीय राष्ट्रीय राजमार्ग प्राधिकरण को प्रत्यावर्तन। (Online Proposal No.- FP/UK/ROAD/140350/2021)

संदर्भ :–

भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, देहरादून का पत्र संख्या—8बी0 / यू0सी0पी0 / 06 / 67 / 2023 / एफ0सी0, दिनांक—17.03.2025 |

महोदय,

भारत सरकार के संदर्भित पत्र द्वारा लगाई गई कतिपय आपत्तियों का निराकरण प्रयोक्ता एजेन्सी भारतीय राष्ट्रीय राजमार्ग प्राधिकरण द्वारा प्रस्तुत किये जाने पर प्रभागीय वनाधिकारी देहरादून वन प्रभाग ने अपने कार्यालय पत्रांक– 6519 / 12–1 दिनांक–11 / 04 / 2025 से निम्न प्रकार इस कार्यालय को प्रस्तुत की गई है:–

S	No	EDS	Reply
	ß	The DFO Dehradun and Project Proponent shall submit a technical specification and details of attempts made to reduce the felling of trees and findings thereof.	 In forest area a ROW of only 30m has been proposed in most of length. The top width for a 4-lane divided highway with a minimum 2.5 m of median works out to be 23.5 in plain and rolling terrain. The ground is not exactly flat and is undulating in which cutting and fills are required would be 27.5 m for maintain adequate slopes, leaving no room for trees. The project road is falling plain and rolling terrain. The recommended ROW for 4-Lane Highways is as below:- 45 m as per IRC : 73-2023 Geometrics Design Standards for Non-Urban Road-Para 4.1, Table 4.1 (Enclosure-1) 60 m as per IRC-SP-84-2019, Manual for four laning highways- Para 2.3 (Enclosure-2) Best efforts were made to minimize the no. of trees as well as forest land proposed for diversion and alternatives is also examined but selected route is most viable with minimum tree involvement. Apart form above the following is also submitted: i) A joint inspection was conducted with the representatives of the Forest Department and NHAI on 20.07.2023 to review the alignment falling in the forest land. ii) Since this highway is planned as fully access controlled for fast moving of traffic, the ruling speed is 100 kmph. To minimize forest land a deficient geometrics with speed restriction of 80 kmph has
			 been adopted. iii) During the alignment study report three alignments were studied. The adopted alignment was found to be most suitable and adopted accordingly. iv) Normally Right of Way of 60 m is adopted for 4/6 lane access controlled highways. In this project, to minimize cutting of trees a bare minimum ROW of 30 m has been adopted. It may be appreciated that the width of the structures is 25.5 m. considering some nominal width of trees and clearance from the structure, trees within 30 m width will have to be cut. v) Further, following the 89th REC's suggestion to reduce tree felling, again a joint site visit with DFO Dehradun was conducted on 05.03.2025, and the possibility of shifting the alignment over the existing 50ft fire line for a length of 1Km at a distance of 40m from adopted alignment) has been explored. vi) However, DPR consultant after conducting detailed examination and tree counting on fire line within ROW, vide letter dated 01.04.2025 (Enclosure-3) has submitted that" there is no appreciable advantage in changing the alignment. On the contrary

		more number of large size trees would have to be felled"			
2	The project proponent shall submit an undertaking that the final outcome w.r.t Hon'ble Supreme Court Orders in the CWP (C) No. 1164/2023 dated 03.02.2025 shall be complied.	प्रयोक्ता एजेंसी द्वारा इस आशय का वचनबद्धता प्रमाण—पत्र संलग्न है कि ''उक्त परियोजना हेतु Final Outcome w.r.t Hon'ble Supreme Court Orders in the CWP (C) No-1164/2023 Dated 03-02-2025 shall be complied इसमे प्रयोक्ता अभिकरण की पूर्णतया सहमति है।''			
3	The DFO Dehradun shall prepare a plan for fencing (wall fencing) around the forest land adjacent to the proposed road to avoid any encroachment and protect forest land from collateral damage. The cost of the proposed wall shall be borne by the user agency.	प्रभागीय वनाधिकारी द्वारा अवगत कराया गया है कि प्रस्तावित मोटर मार्ग एवं आबादी के बीच के वन क्षेत्र को भविष्य में अतिक्रमण से बचाने हेतु दीवार निर्माण की योजना तैयार की गई है (संलग्न–04)। दीवार निर्माण का व्यय प्रयोक्ता एजेंसी द्वारा वहन किया जायेगा। प्रयोक्ता एजेंसी द्वारा इस सम्बन्ध में वचनबद्धता प्रमाण–पत्र उपलब्ध कराया गया है (संलग्न–05)।			
4	The DFO Dehradun shall prepare a plan for fencing (wall fencing) in the patches of adjacent forest lands inside the residential area that are prone to encroached in future. The cost shall be borne by the user agency.	प्रभागीय वनाधिकारी द्वारा अवगत कराया गया है कि प्रयोक्ता एजेंसी द्वारा वचनबद्धता प्रमाण–पत्र संलग्न किया गया है। वर्तमान में WII द्वारा उनके नियंत्रणाधीन वन क्षेत्र के चारो ओर फैन्सिंग कार्य कराया जा रहा है। इस विषय में प्रo वo द्वारा अपनी पत्र संख्या– 6297 / 12–1, दिनांक 02.04.2025 (संलग्न–06) से विस्तृत विवरण हेतु सूचना मांगी गयी है। तद्नुसार ही अग्रेत्तर कार्यवाही करते हुए सूचना उपलब्ध करायी जायेगी।			
5	The state Forest Department shall ensure that the CA area shall be planted with minimum 50% of Sal Trees.	प्रभागीय वनाधिकारी द्वारा अवगत कराया गया है कि विषयांकित प्रस्ताव में क्षतिपूरक वनीकरण हेतु चयनित क्षेत्र कालसी भूमि संरक्षण वन प्रभाग के अन्तर्गत है। इस सम्बन्ध में प्रभागीय वनाधिकारी, कालसी भूमि संरक्षण वन प्रभाग, कालसी द्वारा अपने पत्र संख्या—9755 / 12—1, दिनांक 07.04.2025 (संलग्न—07) से अवगत कराया गया है कि क्षतिपूरक वनीकरण हेतु चयनित क्षेत्र समुद्रतल से लगभग 1200—1400 मी0 ऊंचाई पर स्थित है, जिनमें साल पौधों का रोपण किया जाना सम्भव नहीं हो पायेगा। उक्त क्षेत्र में स्थानीय प्रजाति जैसे बांज, भीमल, खड़िक, आंवला, रीठा, तेजपत्ता, दाड़िम, मेहल, काफल आदि पौधों का रोपण किया जाना सम्भव हो पायेगा।			

अतः भारत सरकार द्वारा चाही गयी सूचना/आख्या इस अनुरोध के साथ प्रेषित की जा रही है कि प्रस्ताव की स्वीकृति के सम्बन्ध में अग्रेत्तर कार्यवाही किये जाने पर विचार करना चाहें।

संलग्नकः उपरोक्तानुसार।

(राजीव धीमान) वन संरक्षक, शिवालिक वृत्त, उत्तराखण्ड, देहरादून कि

भवदीय,

पत्रांकः— उल्प ८ / १३-। तद्दिनांकित। प्रतिलिपिः— प्रभागीय वनाधिकारी देहरादून वन प्रभाग, देहरादून को उनके उपरोक्त संदर्भित पत्र के क्रम में सादर सूचनार्थ प्रेषित।

> (राजीव धीमान) वन संरक्षक, शिवालिक वृत्त, उन्तराखण्ड, देहरादून।



कार्यालय प्रभागीय वनाधिकारी, देहरादून वन प्रभाग, देहरादून

Email: dfodoon@gmail.com

Phone/Fax-0135-2627612

पत्रांक- 6519 / 12-1 देहरादून, दिनांक- 11 / 04 / 2025

सेवा में,

वन संरक्षक, शिवालिक वृत्त, उत्तराखण्ड, देहरादून।

विषय :-- उत्तराखण्ड राज्य में राष्ट्रीय राजमार्ग संख्या-72 (झाझरा के पास) को दिल्ली--देहरादून एक्सप्रेस वे (आशारोड़ी सेक्शन के पास) से जोड़ने वाले चार लेन ग्रीनफील्ड रोड का विकास किमी0 0.050 से किमी 12.220 तक निर्माण हेतु 20.0849 है0 वन मूमि का गैर वानिकी कार्यों हेतु भारतीय राष्ट्रीय राजमार्ग प्राधिकरण को प्रत्यावर्तन।

(Online Proposal No.- FP/UK/ROAD/140350/2021)

संदर्भ :—भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, देहरादून का पत्र संख्या—8बी0/यू0सी0पी0/06/67/2023/एफ0सी0, दिनांक—17.03.2025 एवं महाप्रबन्धक (तक0) सह परियोजना निदेशक, भारतीय राष्ट्रीय राजमार्ग प्राधिकरण, प.का0ई0—वसन्त विहार, देहरादून के पत्र संख्या—NHAI/PIU-VSNT-VHR/22021/Jhajhra-Asharori/Forest/2020/8676, दिनांक 11.04.2025

महोदय,

उपरोक्त विषयगत वन भूमि प्रत्यावर्तन प्रस्ताव में भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, देहरादून के उपरोक्त सन्दर्भित पत्र का सन्दर्भ ग्रहण करने का कष्ट करें। भारत सरकार द्वारा प्रस्ताव में इंगित E.D.S. का प्रतिउत्तर प्रयोक्ता अभिकरण के उपरोक्त सन्दर्भित पत्र से इस कार्यालय को उपलब्ध कराया गया है, जो कि निम्नवत् है :--

SI. No.	EDS	Reply
1	The DFO Dehradun and Project Proponent shall submit a technical specification and details of attempts made to reduce the felling of trees and findings thereof.	In forest area a ROW of only 30m has been proposed in most of length. The top width for a 4-lane divided highway with a minimum 2.5 m of median works out to be 23.5 in plain and rolling terrain. The ground is not exactly flat and is undulating in which cutting and fills are required would be 27.5 m for maintain adequate slopes, leaving no room for trees. The project road is falling plain and rolling terrain. The recommended
		 ROW for 4-Lane Highways is as below:- 45 m as per IRC : 73-2023 Geometrics Design Standards for Non-Urban Road-Para 4.1, Table 4.1 (Copy attached) 60 m as per IRC-SP-84-2019, Manual for four laning highways-Para 2.3 (Copy attached)
	50	Best efforts were made to minimize the no. of trees as well as forest land proposed for diversion and alternatives is also examined but selected route is most viable with minimum tree involvement. Apart form above the following is also submitted:
		 i) A joint inspection was conducted with the representatives of the Forest Department and NHAI on 20.07.2023 to review the alignment falling in the forest land. ii) Since this highway is planned as fully access controlled for fast moving
		deficient geometrics with speed restriction of 80 kmph has been adopted.
		 iii) During the alignment study report three alignments were studied. The adopted alignment was found to be most suitable and adopted accordingly. iv) Normally Right of Way of 60 methods.
		iv) Normally Right of Way of 60 m is adopted for 4/6 lane access controlled highways. In this project, to minimize cutting of trees a bare minimum ROW of 30 m has been adopted. It may be appreciated that the width of the structures is 25.5 m. considering some nominal width of trees and clearance from the structure, trees within 30 m width will have to be cut.

		 v) Further, following the 89th REC's suggestion to reduce tree felling, again a joint site visit with DFO Dehradun was conducted on 05.03.2025, and the possibility of shifting the alignment over the existing 500 fire line for a length of 1Km at a distance of 40m from adopted alignment) has been explored. vi) However, DPR consultant after conducting detailed examination and tree counting on fire line within ROW, vide letter dated 01.04.2025 (Copy attached) has submitted that" there is no appreciable advantage in changing the alignment. On the contrary more number of large size trees would have to be felled"
2	The project proponent shall submit an undertaking that the final outcome w.r.t Hon'ble Supreme Court Orders in the CWP (C) No. 1164/2023 dated 03.02.2025 shall be complied.	बिन्दु सं0–2 के अनुपालन में प्रयोक्ता एजेंसी द्वारा इस आशय का वचनबद्धता प्रमाण–पत्र संलग्न है कि ''जक्त परियोजना हेतु Final Outcome w.r.t Hon'ble Supreme Court Orders in the CWP (C) No-1164/2023 Dated 03-02-2025 shall be complied इसमे प्रयोक्ता अभिकरण की पूर्णतया सहमति है।''
3	The DFO Dehradun shall prepare a plan for fencing (wall fencing) around the forest land adjacent to the proposed road to avoid any encroachment and protect forest land from collateral damage. The cost of the proposed wall shall be borne by the user agency.	बिन्दु सं0–3 के अनुपालन में प्रस्तावित मोटर मार्ग एवं आबादी के वीच के वन क्षेत्र को भविष्य में अतिक्रमण से बचाने हेतु दीवार निर्माण की योजना संलग्न है। दीवार निर्माण का व्यय प्रयोक्ता एजेंसी द्वारा वहन किया जायेगा, जिसके सम्बन्ध में प्रयोक्ता एजेंसी द्वारा वचनबद्धता प्रमाण–पत्र उपलब्ध कराया गया है।
4	The DFO Dehradun shall prepare a plan for fencing (wall fencing) in the patches of adjacent forest lands inside the residential area that are prone to encroached in future. The cost shall be borne by the user agency.	बिन्दु सं0–4 के अनुपालन में प्रयोक्ता एजेंसी द्वारा यचनबद्धता प्रमाण–पत्र संलग्न किया गया है। वर्तमान में WII द्वारा उनके नियंत्रणाधीन वन क्षेत्र के चारो ओर फैन्सिंग कार्य कराया जा रहा है। इस विषय में इस कार्यालय के पत्र संख्या–6297/12–1, दिनांक 02.04.2025 (छायाप्रति संलग्न) से विस्तृत विवरण हेतु सूचना मांगी गयी है। तद्नुसार ही अग्रेत्तर कार्यवाही करते हुए सूचना उपलब्ध करायी जायेगी।
5	The state Forest Department shall ensure that the CA area shall be planted with minimum 50% of Sal Trees.	

अतः भारत सरकार द्वारा चाही गयी सूचना/आख्या उपरोक्तानुसार अग्रेत्तर कार्यवाही हेतु सादर प्रेषित।

संलग्नकः उपरोक्तानुसार।

6

(नीरज कुमार) प्रभागीय वनाधिकारी

देहरादून वन प्रभाग, देहरादून

पत्रांक :-6519/12-1

तद्दिनांकित

प्रतिलिपि निम्नलिखित को सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषितः-

- प्रमुख वन संरक्षक एवं नोडल अधिकारी, वन सरंक्षण, इन्दिरानगर फॉरेस्ट कालोनी, उत्तराखण्ड, देहरादून।
 महाप्रबन्धक (तक0) सह परियोजना निदेशक, भारतीय राष्ट्रीय राजमार्ग प्राधिकरण, प.का0ई0-वसन्त विहार, देहरादून।

प्रभागीय वनाधिकारी देहरादून वन प्रभाग, देहरादून

Ŧ



कार्यालय प्रभागीय वनाधिकारी, देहरादून वन प्रभाग, देहरादून

Email: dfodoon@gmail.com

Phone/Fax-0135-2627612

रक्षति

दिनांक 15/0

पत्रांक- 6519 / 12-1 देहरादून, दिनांक- 11 / 04 / 2025

सेवा में,

र्न्वन संरक्षक, शिवालिक वृत्त, उत्तराखण्ड, देहरादून।

विषय :-- उत्तराखण्ड राज्य में राष्ट्रीय राजमार्ग संख्या-72 (झाझरा के पास) को दिल्ली-देहरादून एक्सप्रेस वे (आशारोड़ी सेक्शन के पास) से जोड़ने वाले चार लेन ग्रीनफील्ड रोड का विकास किमी0 0.050 से किमी 12.220 तक निर्माण हेतु 20.0849 है0 वन भूमि का गैर वानिकी कार्यों हेतु भारतीय राष्ट्रीय राजमार्ग प्राधिकरण को प्रत्यावर्तन।

(Online Proposal No.- FP/UK/ROAD/140350/2021)

संदर्भ :—भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, देहरादून का पत्र संख्या—8बी0/यू0सी0पी0/06/67/2023/एफ0सी0, दिनांक—17.03.2025 एवं महाप्रबन्धक (तक0) सह परियोजना निदेशक, भारतीय राष्ट्रीय राजमार्ग प्राधिकरण, प.का0ई0—वसन्त विहार, देहरादून के पत्र संख्या—NHAI/PIU-VSNT-VHR/22021/Jhajhra-Asharori/Forest/2020/8676, दिनांक 11.04.2025

महोदय,

उपरोक्त विषयगत वन भूमि प्रत्यावर्तन प्रस्ताव में भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, देहरादून के उपरोक्त सन्दर्भित पत्र का सन्दर्भ ग्रहण करने का कष्ट करें। भारत सरकार द्वारा प्रस्ताव में इंगित E.D.S. का प्रतिउत्तर प्रयोक्ता अभिकरण के उपरोक्त सन्दर्भित पत्र से इस कार्यालय को उपलब्ध कराया गया है, जो कि निम्नवत् है :--

SI. No.	EDS	Reply
<u>No.</u> 1	The DFO Dehradun and Project Proponent shall submit a technical specification and details of attempts made to reduce the felling of trees and findings thereof.	 In forest area a ROW of only 30m has been proposed in most of length. The top width for a 4-lane divided highway with a minimum 2.5 m of median works out to be 23.5 in plain and rolling terrain. The ground is not exactly flat and is undulating in which cutting and fills are required would be 27.5 m for maintain adequate slopes, leaving no room for trees. The project road is falling plain and rolling terrain. The recommended ROW for 4-Lane Highways is as below:- 45 m as per IRC : 73-2023 Geometrics Design Standards for Non-Urban Road-Para 4.1, Table 4.1 (Copy attached) 60 m as per IRC-SP-84-2019, Manual for four laning highways-Para 2.3 (Copy attached) Best efforts were made to minimize the no. of trees as well as forest land proposed for diversion and alternatives is also examined but selected route is most viable with minimum tree involvement. Apart form above the following is also submitted: i) A joint inspection was conducted with the representatives of the Forest Department and NHAI on 20.07.2023 to review the alignment falling in the forest land. ii) Since this highway is planned as fully access controlled for fast moving of traffic, the ruling speed is 100 kmph. To minimize forest land a deficient geometrics with speed restriction of 80 kmph has been adopted. iii) During the alignment study report three alignments were studied. The adopted alignment was found to be most suitable and adopted accordingly. iv) Normally Right of Way of 60 m is adopted for 4/6 lane access controlled highways. In this project, to minimize cutting of trees a bare minimum ROW of 30 m has been adopted. It may be appreciated that the width of the structures is 25.5 m. considering some nominal width of trees and clearance from the structure, trees within 30 m width will have to be cut.

5		 v) Further, following the 89th REC's suggestion to reduce tree felling, again a joint site visit with DFO Dehradun was conducted on 05.03.2025, and the possibility of shifting the alignment over the existing 50ft fire line for a length of 1Km at a distance of 40m from adopted alignment) has been explored. vi) However, DPR consultant after conducting detailed examination and tree counting on fire line within ROW, vide letter dated 01.04.2025 (Copy attached) has submitted that" there is no appreciable advantage in changing the alignment. On the contrary more number of large size trees would have to be felled"
2	The project proponent shall submit an undertaking that the	बिन्दु सं0–2 के अनुपालन में प्रयोक्ता एजेंसी द्वारा इस आशय का वचनबद्धता प्रमाण–पत्र संलग्न है कि <i>''उक्त परियोजना हेतु Final Outcome w.r.t Hon'ble</i>
	final outcome w.r.t Hon'ble Supreme Court Orders in the CWP (C) No. 1164/2023 dated 03.02.2025 shall be complied.	Supreme Court Orders in the CWP (C) No-1164/2023 Dated 03-02-2025 shall be complied इसमे प्रयोक्ता अभिकरण की पूर्णतया सहमति है।''
3	The DFO Dehradun shall prepare a plan for fencing (wall fencing) around the forest land adjacent to the proposed road to avoid any encroachment and protect forest land from collateral damage. The cost of the proposed wall shall be borne by the user agency.	बिन्दु सं0–3 के अनुपालन में प्रस्तावित मोटर मार्ग एवं आबादी के बीच के वन क्षेत्र को भविष्य में अतिक्रमण से बचाने हेतु दीवार निर्माण की योजना संलग्न है। दीवार निर्माण का व्यय प्रयोक्ता एजेंसी द्वारा वहन किया जायेगा, जिसके सम्बन्ध में प्रयोक्ता एजेंसी द्वारा वचनबद्धता प्रमाण–पत्र उपलब्ध कराया गया है।
4	The DFO Dehradun shall prepare a plan for fencing (wall fencing) in the patches of adjacent forest lands inside the residential area that are prone to encroached in future. The cost shall be borne by the user agency.	बिन्दु सं0–4 के अनुपालन में प्रयोक्ता एजेंसी द्वारा वचनबद्धता प्रमाण–पत्र संलग्न किया गया है। वर्तमान में WII द्वारा उनके नियंत्रणाधीन वन क्षेत्र के चारो ओर फैन्सिंग कार्य कराया जा रहा है। इस विषय में इस कार्यालय के पत्र संख्या–6297 / 12–1, दिनांक 02.04.2025 (छायाप्रति संलग्न) से विस्तृत विवरण हेतु सूचना मांगी गयी है। तद्नुसार ही अग्रेत्तर कार्यवाही करते हुए सूचना उपलब्ध करायी जायेगी।
5	The state Forest Department shall ensure that the CA area shall be planted with minimum 50% of Sal Trees.	बिन्दु सं0—5 के क्रम में अवगत कराना है कि विषयांकित प्रस्ताव में क्षतिपूरक वनीकरण हेतु चयनित क्षेत्र कालसी भूमि संरक्षण वन प्रभाग के अन्तर्गत है। इस सम्बन्ध में प्रभागीय वनाधिकारी, कालसी भूमि संरक्षण वन प्रभाग, कालसी द्वारा अपने पत्र संख्या—9755 / 12—1, दिनांक 07.04.2025 (छायाप्रति संलग्न) से अवगत कराया गया है कि क्षतिपूरक वनीकरण हेतु चयनित क्षेत्र समुद्रतल से लगभग 1200—1400 मी0 ऊंचाई पर स्थित है, जिनमें साल पौधों का रोपण किया जाना सम्भव नहीं हो पायेगा। उक्त क्षेत्र में स्थानीय प्रजाति जैसे बांज, भीमल, खड़िक, आंवला, रीठा, तेजपत्ता, दाड़िम, मेहल, काफल आदि पौधों का रोपण किया जाना सम्भव हो पायेगा।

अतः भारत सरकार द्वारा चाही गयी सूचना/आख्या उपरोक्तानुसार अग्रेत्तर कार्यवाही हेतु सादर प्रेषित।

संलग्नकः उपरोक्तानुसार।

पत्रांक :-6519/12-1

तद्दिनांकित

भवदीय,

(नीरज कुमार) प्रभागीय वनाधिकारी देहरादून वन प्रभाग, देहरादून

प्रतिलिपि निम्नलिखित को सादर सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषितः-

 प्रमुख वन संरक्षक एवं नोडल अधिकारी, वन सरंक्षण, इन्दिरानगर फॉरेस्ट कालोनी, उत्तराखण्ड, देहरादून।
 महाप्रबन्धक (तक0) सह परियोजना निदेशक, भारतीय राष्ट्रीय राजमार्ग प्राधिकरण, प.का0ई0–वसन्त विहार, देहरादून।

4

प्रभागीय वनाधिकारी देहरादून वन प्रभाग, देहरादून

<



कार्यालय प्रभागीय वनाधिकारी, देहरादून वन प्रभाग, देहरादून

Email: dfodoon@gmail.com

Phone/Fax-0135-2627612

पत्रांक- 6.297 / 12-1 देहरादून, दिनांक- 02 / 04 / 2025

सेवा में,

निदेशक, भारतीय वन्यजीव संस्थान, देहरादून।

विषय :- भारतीय वन्यजीव संस्थान के चारों ओर स्थित वन मूमि के फेन्सिंग के सम्बन्ध में।

संदर्भः— भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, देहरादून का पत्र संख्या—8बी0/यू०सी०पी0/06/67/2023/एफ0सी0, दिनांक—17.03.2025

महोदय,

अवगत कराना है कि राष्ट्रीय राजमार्ग संख्या—72 (झाझरा के पास) को दिल्ली—देहरादून एक्सप्रेस वे (आशारोड़ी सेक्शन के पास) से जोड़ने वाले चार लेन ग्रीनफील्ड रोड का विकास किमी0 0.050 से किमी 12.220 तक निर्माण हेतु 20.0849 है0 वन भूमि का गैर वानिकी कार्यों हेतु भारतीय राष्ट्रीय राजमार्ग प्राधिकरण को प्रत्यावर्तन प्रस्ताव भारत सरकार पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय, क्षेत्रीय कार्यालय, देहरादून को प्रस्तुत किया गया। प्रस्ताव पर दिनांक 27.02.2025 को आहूत आर0ई0सी0 की बैठक में कतिपय निर्णय लिये गये, जिसके क्रम में पत्र दिनांक 17.03.2025 से 05 बिन्दुओं पर अनुपालन आख्या चाही गयी है।

बिन्दु सं0-4 के अनुसार "The DFO Dehradun shall prepare a plan for fencing (wall fencing) in the patches of adjacent forest lands inside the residential area that are prone to encroached in future. The cost shall be borne by the user agency."

अवगतनीय है कि भारतीय वन्यजीव संस्थान के चारों ओर का वन क्षेत्र भी इसके अन्तर्गत है। ज्ञात हुआ है कि वर्तमान में उक्त वन क्षेत्र के चारों ओर फेन्सिंग (दीवार निर्माण) कार्य कराया जा रहा है। अतः आपसे अनुरोध है कि उक्त वन क्षेत्र की सम्पूर्ण परिधि में फेन्सिंग कार्य करवाया जायेगा अथवा नहीं, कृपया इस सम्बन्ध में सूचित करने की कृपा करें।

भवदीय,

(नीरज कुमार) प्रमागीय वनाधिकारी देहरादून वन प्रमाग, देहराद

कार्यालय-प्रभागीय वनाधिकारी, कालसी भूमि संरक्षण वन प्रभाग, कालसी। पत्रांक- 9755/12-1 कालसी, दिनांक, 07 अप्रैल 2025

सेवा में,

प्रभागीय वनाधिकारी, देहरादून वन प्रभाग, देहरादून ।

उत्तराखण्ड राज्य में राष्ट्रीय राजमार्ग संख्या–72 (झाझरा के पास) को विषय : दिल्ली-देहरादून एक्सप्रेस वे (आशारोड़ी सेक्शन के पास) से जोड़ने वाले चार लेन ग्रीनफील्ड रोड का विकास किमी0 0.050 से किमी 12.220 तक निर्माण हेतु 20.0849 है0 वन भूमि का गैर वानिकी कार्यों हेतु भारतीय राष्ट्रीय राजमार्ग प्राधिकरण को प्रत्यावर्तन।

आपके कार्यालय का पत्रांक-6290 / 12-1, दिनांक 02.04.2025. सन्दर्भ :

महोदय,

उपरोक्त विषयक सन्दर्भित पत्र के क्रम में अवगत कराना है कि विषयांकित प्रकरण में इस कार्यालय के पत्रांक—9729/12—1, दिनांक 04.04.2025 द्वारा सम्बन्धित वन क्षेत्राधिकारियों से आख्या उपलब्ध कराने हेतु लिखा गया था, जिसमें वन क्षेत्राधिकारी, कालसी-प्रथम एवं चुरानी रेंज द्वारा स्पष्ट किया गया है कि निम्न क्षतिपूरक वनीकरण हेतु चयनित क्षेत्र समुद्र तल से लगभग 1200–1400 मीटर ऊँचाई पर स्थित हैं, जिनमें साल पौधों का रोपण किया जाना सम्भव नहीं हो पायेगा।

क्र0सं0	रेंज का नाम	स्थल का नाम	खसरा सं0	क्षेत्रफल (है0)
1	कालसी-प्रथम	थैना	766	10.00
2	9/10/01/2/3/1	गडैता	1, 4 एवं 5	23.00
2	चरानी	लटौ	148	8.00
5	3		योग	41.00

अतः अनुरोध है कि उक्त क्षतिपूरक वनीकरण हेतु साल प्रजाति के स्थान पर स्थानीय प्रजाति जैसे बांज, भीमल, खडिक, आंवला, रीठा, तेजपत्ता, दाडिम, मेहल, काफल आदि पौधों का ही रोपण किया जाना सम्भव हो पायेगा। सूचना अग्रेत्तर कार्यवाही हेत् प्रेषित।

> भवदीय. प्रभागीय वनाधिकारी कालसी भू०सं० वन प्रभाग, ा कालसी।

PLAN

For

Wall fencing around the forest land adjacent to the Proposed 4-Lane Greenfield Road from NH-7 (Jhajhra) to NH-307 (Asharori) to avoid any encroachment and protect forest form collateral damage

Submitted by

Divisional Forest Officer Dehradun Forest Division Dehradun

1. Background

As part of the development of the 4-lane Greenfield Road Project from NH-7 (near Jhajhra) to NH-307 (near Asharori) in Uttarakhand, certain sections of forest land falling under the administrative jurisdiction of the Asarodi Range are proposed for diversion. After construction, residual strips of forest land are expected to remain between the highway and nearby human habitations.

This spatial arrangement poses a strong risk of future encroachment, unauthorized land use, and degradation of these isolated forest areas. To address this risk, a new brick wall of **5962 meters** and repair of **250 meters** of existing wall are proposed to act as physical boundaries for the protection of the forest land. The construction of this wall will ensure the long-term conservation of forest ecosystems and prevent encroachment activities in these vulnerable areas. This plan aligns with directive from the MoEF&CC's REC meeting and the cost of the proposed wall shall be borne by National Highway Authority of India (NHAI).



2. Objectives

- Prevent encroachment in forest areas.
- Preserve ecological balance and avoid collateral harm to flora and fauna.
- Comply with conditions related to forest land diversion and environmental safeguards.

3. Scope of Work

Construction of 5962 meters of new brick boundary wall and Repair of 250 meters of existing damaged wall:

Range	Beat	Length of proposed New Wall (m)	Length of Existing wall proposed for Repair (m)
Asarori	Chandrabani Laldhang Archadia	5962 meter	250 meter

- Wall height: 1.50 meters above ground
- Foundation depth: 0.5 meters with 0.10 m PCC base
- 230 mm thick brick masonry in cement mortar 1:3
- 15 mm cement plaster
- RCC Column Placed at regular intervals for structural support and resists lateral forces

देहरादून नि वन प्रमाग. देहरा

उप प्रभागीय वनाधिकारी देहरादून वन प्रभाग देहरादून

प्रभागीय वनाधिकारी देहरादून वन प्रभाग, देहरादन

Project Name- Development of 4-lane Greenfield road connecting NH-7 (old NH-72) (near Jhajhra) to Delhi-Dehradun Expressway NH-307 (old NH-72A) at Asharori Section from Km. 0.000 to Km. 12.000 in the State of Uttarakhand.

Construction of Protection Wall Along the 4 lane Greenfield Road Connecting (NH-7 to NH-307) in Asarodi Range, Dehradun Forest Division

Particulars of item	COST
CIVIL WORKS (Brick Wall)	35471012.38
GST @ 18%	63,84,782.23
CONTINGENCY @ 1 %	3,54,710.12
Total	42210504.73
Total (In Lacs)	422.11

GENERAL ABSTRACT OF COST

Draughtsman Dehradun Forest Division

देहरादून देहरादून वन प्रमाग,

4B उप प्रभौगीय वनाधिकारी देहरादून वन प्रभाग

देहरादून

प्रभागीय वनाधिकारी वन प्रभाग,

देहरादन

देहरादून

Construction of Protection Wall Along the 4 lane Greenfield Road Connecting (NH-7 to NH-307) in Asarodi Range, Dehradun Forest Division

BILL OF QUANTITY

SI No.	Ref. Code and Item No.	Particulars of item	Quantity	Unit	Rate	Amount
1	1 PWD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No. 11-1-1-1 Earthwork in excavation for struct per drawing and technical specific Clause 305.1 including setting on construction of shoring and brack removal of stumps and other deleted material and disposal upto a lead dressing of sides and bottom and backfilling in trenches with excat suitable material. 1 PWD SOR (MORD) 2024-25 Earthwork in excavation for struct per drawing and technical specific construction of shoring and brack removal of stumps and other deleted material and disposal upto a lead dressing of sides and bottom and backfilling in trenches with excat suitable material.		1788.60	cum	441.40	7 ,89,488.04
2	PWD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No, 11-4-3-2	Providing concrete for plain/ reinforced concrete in open foundations complete as per drawings and technical specifications Clause 802, 803, 1202 & 1203 P.C.C. grade M 20	357.72	cum	7268.10	25,99,944.73
3	PWD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No. 12-1-1	Brick masonry work in cement mortar in substructure complete excepting pointing and plastering, as per drawing and technical specification Clauses 602, 603, 604, 1202 & 1204 In 1:3 cement mortar	2947.70	cum	8536.00	~ 25161567.20
4	PWD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No. 13-1-3-A	Providing and laying reinforced cement concrete in superstructure as per drawing and technical specifications Clauses 800, 1205.4 and 1205.5 (For height upto 5 m) R.C.C. grade M 30 for Column	189.05	cum	9565.80	* 18,08,414.49
5	PWD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No. 12-7	Supplying, fitting and placing TMT bar reinforcement (Fe 415) in substructrue complete as per drawings and technical specification Clauses 1002, 1005, 1010 & 1202 Steel for Column	7.42	MT	7 3971.90	✓5,48,871.50
6	PWD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No. 12-3	Plastering with cement mortar (1:4), 15 mm thick on brickwork in substructure as per technical specification Clauses 613.4 & 1204	20064.76	Sqm	227.40	45,62,726.42
		Total				35471012.38

aughtsman D Dehradun Forest Division

d. रेंज देहरादून वन प्रभाग, देहरादून

40

उप प्रभागीय वनाधिकारी देहरादून वन प्रभाग

वनाधिकारी प्रभागीय देहरादून वन प्रभाग, देहरादून

नेंद्रराद्न

19

Construction of Protection Wall Along the 4 lane Greenfield Road Connecting (NH-7 to NH-307) in Asarodi Range, Dehradun Forest Division

DETAILS	OF	MEASUREMENT
---------	----	-------------

SI No	Item Description		No		L(m)	B(m)	H(m)	Quantity	Unit
1	Earthwork in excavation for structures								-
	as per drawing and technical specifications Clause 305.1 including								
	setting out, construction of shoring and								
	bracing, removal of stumps and other								
	deleterious material and disposal upto a lead of 50 m, dressing of sides and								
	bottom and backfilling in trenches with								
	excavated suitable material.								
	Upto 3 m depth								
		1	×	1	5962.00	0.60	0.50	1788.60	cum
2	Providing concrete for plain/ reinforced								
	concrete in open foundations complete								
	as per drawings and technical								
	specifications Clause 802, 803, 1202 &								
	1203								
	P.C.C. grade M 20	1	~	1	5962.00	0.60	0.10	357.72	cum
3	Brick masonry work in cement mortar in	1	x	1	5902.00	0.00	0.10	351.12	cum
3	substructure complete excepting								
	and plastering, as per drawing and								
	technical specification Clauses 602,								
	603, 604, 1202 & 1204 In 1:3 cement mortar								
	New Wall	1		1	5538.00	0.50	0.20	553.80	cum
		1	×	1		0.50			cum
	Column space b/w wall - 1846*0.23=424 mtr	1	×	1	5538.00	0.40	0.20	443.04	cum
	New wall- 5962-424=5538 meter	1	×	1	5538.00	0.23	1.50	1910.61	cum
	Repair of Existing wall				250.00	0.02	0.70	40.25	
	Total	1	×	1	250.00	0.23	0.70		cum
				1.1				-2947.70	cum
4	Providing and laying reinforced cement concrete in superstructure as per								
	drawing								
	and technical specifications Clauses								
	800, 1205.4 and 1205.5 (For height upto 5 m)								
	R.C.C. grade M 30 for Column								
		1	×	1846	0.23	0.23	1.90	185.54	cum
		1	×	83	0.23	0.23	0.80	-3.51	cum
	Total							189.05	cum
5	Supplying, fitting and placing TMT bar								
	reinforcement (Fe*415) in substructrue								
	complete as per drawings and technical specification Clauses 1002, 1005, 1010					0.5% of		7.42	MT
	& 1202			- ₂ i		RCC			
	Steel for Column								
6	Plastering with cement mortar (1:4), 15								
	mm thick on brickwork in substructure								
	as per technical specification Clauses								
	613.4 & 1204 New wall	1	×	2	5962.00	_	1.50	17886.00	Sqm
	Existing wall	1	×	2	250.00		1.50	750.00	Sqm
	Top of wall	1		1	6212.00	0.23	1.50		Sqiff
	Top of wall	1	×	1	0212.00	0.23	-	1428.76	
	Iotai							20064.76	Sqn

रेंज देहरादून वन प्रभाग, देहरादून

अधिग्रे उप प्रभागीय वनाधिकारी देहरादून वन प्रभाग देहरादून

Cr

Construction of Protection Wall Along the 4 lane Greenfield Road Connecting (NH-7 to NH-307) in Asarodi Range, Dehradun Forest Division

SI No.	Ref. Code and Item No.	Unit	Rate
1	PWD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No. 11-1-1-1	cum	441.40
2	P WD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No. 11-4-3-2	cum	7268.10
3	PWD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No. 12-1-1	cum	-8536.00
4	PWD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No. 13-1-3-A	cum	95 65.80
5	PWD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No. 12-7	MT	73971.90
6	PWD SOR (MORD) 2024-25 Block 31-A Sahaspur-A Item No. 12-3	Sqm	2 27.40

RATES

Draughtsman Dehradun Forest Division

देहरादून वन प्रभाग, देहरादून

50

उप प्रभागीय वनाधिकारी देहरादून वन प्रभाग देहरादून

प्रभागीय वनाधिकारीं देहरादून वन प्रभाग, देहरादून



भारतीय राष्ट्रीय राजमार्ग प्राधिकरण

(सड़क परिवहन एवं राजमार्ग मंत्रालय, भारत सरकार)

National Highways Authority of India (Ministry of Road Transport & Highways, Govt. of India)

परियोजना कार्यान्वयन ईकाई–वसन्त विहार। Project Implementation Unit-Vasant Vihar

मकान सं0 171, फेंज— I, वसन्त विहार, देहरादून — 248006 House no.171, Phase-I, Vasant Vihar, Dehradun - 248006 दूरभाष/Phone: 0135-2760001 ई—मेल/E-mail: piuvasantvihar@nhai.org वेब/Web:www.nhai.gov.in

NHAI/PIU-VSNT-VHR/22021/Jhajhra-Asharori/Forest/2020/8676

Date 11.04.2025

To,

Divisional Forest Officer Dehradun Forest Division, Dehradun

Sub.: Diversion of 20.0849 Ha of Forest Land (Reserve Forest) for Development of 4-lane Greenfield road connecting NH-7 (old NH-72) (near Jhajhra) to Delhi-Dehradun Expressway NH-307 (old NH-72A) at Asharori Section from Km. 0.000 to Km. 12.000 in the State of Uttarakhand.in favour of NHAI, within the jurisdiction of Dehradun Forest Division, Dehradun District of Uttarakhand.

Minutes of MoEF&CC's 89th REC Meeting dated 27.02.2025 (Forest Clearance Proposal No. FP/UK/ROAD/140350/2021)

Ref.: Government of India, Ministry of Environment, Forest & Climate Change, Regional office, Dehradun, letter No. RO-DDN/REC/1-2014/VOL-6/1438 dated 13th March 2025

Sir,

The proposal for the forest clearance were submitted through MOEF&CC web portal on 31.01.2025 by the State Government, Uttarakhand to the Regional Office, Uttarakhand. During the 89th REC meeting convened on 27.02.2025 at IRO MoEF&CC, Dehradun under agenda Item 89.01 (U.K.) REC has taken a decision that "After detailed discussion on various aspects of the proposal, the committee decided to recommend the proposal with standard terms and conditions and only after the submission of compliance of specific additional condition(s)". The pointwise compliance report of EDS is as below:

SI. No.	Conditions	Reply
1.	The DFO Dehradun and Project Proponent shall submit a technical specification and details of attempts made to reduce the felling of trees and findings thereof.	The top width for a 4-lane divided highway with a minimum 2.5 m of median works out to be 23.5 m in plain and rolling terrain. The ground is not exactly flat and is undulating in which cutting and fills are required in most of length. Even if 1 m toe line is filled, the total width required would be 27.5 m to maintain adequate slopes, leaving no room for trees.

		 v) Further, following the 89th REC's suggestion to reduce tree felling, again a joint site visit with DFO Dehradun was conducted on 05.03.2025, and the possibility of shifting the alignment over the existing 50ft fire line for a length of 1km at a distance of 40m from adopted alignment) has been explored. vi) However, DPR consultant after conducting detailed examination and tree counting on fire line within ROW, vide letter dated 01.04.2025 (Annexure-3) has submitted that" there is no appreciable advantage in changing the alignment. On the contrary more number of large size trees would have to be felled"
2.	The project proponent shall submit an undertaking that the final outcome w.r.t Hon'ble Supreme Court Orders in the CWP (C) No. 1164/2023 dated 03.02.2025 shall be complied.	Draft undertaking is attached
3.	The DFO Dehradun shall prepare a plan for fencing (wall fencing) around the forest land adjacent to the proposed road to avoid any encroachment and protect forest land from collateral damage. The cost of the proposed wall shall be borne by the user agency.	Reply to be submitted by DFO. Draft undertaking is attached.
4.	The DFO Dehradun shall prepare a plan for fencing (wall fencing) in the patches of adjacent forest lands inside the residential area that are prone to encroached in future. The cost shall be borne by the user agency.	Reply to be submitted by DFO. Draft undertaking is attached.
5.	The State Forest Department shall ensure that the CA area shall be planted with minimum 50% of Sal Trees.	Reply to be submitted by DFO.

Encl.: As above.

Yours faithfully

h

(Pankaj Kumar Mourya) GM (Tech) cum Project Director PIU-Vasant Vihar (Dehradun)

Copy to: Team Leader, M/s Yongma Engg. Co. Ltd. - for information and necessary action please.

:: 2 ::

Full Title of the Project: Development of 4-lane Greenfield road connecting NH-7 (old NH-72) (near Jhajhra) to Delhi-Dehradun Expressway NH-307 (old NH-72A) at Asharori section from Km. 0.000 to Km. 12.000 in the State of Uttarakhand.

Proposal No.: FP/UK/ROAD/140350/2021

Date of Proposal: 01/04/2021

Forest Land Proposed For Diversion: Total Area : 20.0849 Hectare

वचन बद्धता प्रमाण पत्र

प्रमाणित किया जाता है, कि उक्त परियोजना हेतु Final outcome w.r.t. Hon'ble Supreme Court Orders in the CWP (C) No. 1164/2023 dated 03.02.2025 shall be complied इसमें प्रयोक्ता अभिकरण की पूर्णतया सहमति है।

h

mg - 05

पंकज कुमार मौर्य महाप्रबंधक (तकनीकी) भारतीय राष्ट्रीय राजमार्ग प्राधिकरण पी.आई.यू., वसन्त विहार, देहरादून (उत्तराखण्ड़) बरियोजना निदेशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (सड़क परिवहन राजमार्ग मंत्रालय, भारत सरकार) Ministry of Road Transport & Highways धीरुआई.0यू.0-वसम्त विहार, देढरायून

(0 M10) -06

Full Title of the Project: Development of 4-lane Greenfield road connecting NH-7 (old NH-72) (near Jhajhra) to Delhi-Dehradun Expressway NH-307 (old NH-72A) at Asharori section from Km. 0.000 to Km. 12.000 in the State of Uttarakhand.

Proposal No.: FP/UK/ROAD/140350/2021

Date of Proposal: 01/04/2021

Forest Land Proposed For Diversion: Total Area : 20.0849 Hectare

वचन बद्धता प्रमाण पत्र

प्रमाणित किया जाता है, कि उक्त परियोजना के निर्माण हेतु fencing (wall fencing) around the forest land adjacent to the proposed road to avoid any encroachment and protect forest land from collateral damage. The cost of the proposed wall shall be borne by the user agency. इसमें प्रयोक्ता अभिकरण की पूर्णतया सहमति है।

h

पंकज कुमार मौर्य महाप्रबंधक (तकनीकी) भारतीय राष्ट्रीय राजमार्ग प्राधिकरण पी.आई.यू., वसन्त विहार, देहरादून (उत्तराखण्ड्) षरियोजना निदेशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (सड़क परिवहन राजमार्ग मंत्रालय, भारत संस्कार) Ministry of Road Transport & Highways पी०आई०यू०-वसन्त विहार, देहरांद्रुन

for 107

Full Title of the Project: Development of 4-lane Greenfield road connecting NH-7 (old NH-72) (near Jhajhra) to Delhi-Dehradun Expressway NH-307 (old NH-72A) at Asharori section from Km. 0.000 to Km. 12.000 in the State of Uttarakhand.

Proposal No.: FP/UK/ROAD/140350/2021

Date of Proposal: 01/04/2021

Forest Land Proposed For Diversion: Total Area : 20.0849 Hectare

वचन बद्धता प्रमाण पत्र

प्रमाणित किया जाता है, कि उक्त परियोजना के निर्माण हेतु fencing (wall fencing) in the patches of adjacent forest lands inside the residential area that are prone to encroached in future. The cost shall be borne by the user agency. इसमें प्रयोक्ता अभिकरण की पूर्णतया सहमति है।

पंकज कुमार मौर्य महाप्रबंधक (तकनीकी) भारतीय राष्ट्रीय राजमार्ग प्राधिकरण पी.आई.यू., वसन्त विहार, देहरादन (उत्तराखण्ड) बरियोजन निदेशक (Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (सड़क परिवहन राजमार्ग मंत्रालय, भारत सरकार) Ministry of Road Transport & Highways पीठआई०यु०-वसन्त विहार, देहरादून

ANNERURE-1

IRC:73-2023

GEOMETRIC DESIGN STANDARDS FOR NON-URBAN ROADS

(First Revision)



परियोजना निरंशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण INDIAN ROADS CONGRESS 2023

IRC:73-2023

distance of an object stereoscopically and its speed are important to the road user. Older drivers have special needs that should be considered in roadway design and traffic control.

Hearing is an aid to the road user which can at times be very vital. The sound of a horn or the sound of the nearby vehicle itself can alert a pedestrian to safely cross or doing other manoeuvre. Elderly persons with poor eyesight can perceive better through hearing than through seeing.

The important psychological characteristics of road user include perception, intellection, emotion and volition, abbreviated as PIEV and the time taken for these processes is known as PIEV time. Perception is the process of perceiving the sensations received through the eyes, ears, nervous system and brain. Intellection is the identification of the stimuli by the development of new thoughts and ideas. Emotion is the personal trait of the individual that governs his decision-making process, after the perception and intellection of the stimuli. Volition is the will to react to a situation. This PIEV time is used in the calculation of sight distance. According to AASHTO Green book, average PIEV time ranges from 0.6 seconds to 2 seconds when an event is expected, and it increases by 35 percent in case of unexpected events. Thus, for a simple, unexpected decision and action, some drivers may take as long as 2.7 seconds to respond. A complex decision with several alternatives may take several seconds longer than a simple decision. In India, a design value of 2.5 seconds is taken for calculating the required stopping sight distance and 2.0 seconds for calculating the required overtaking sight distance.

3.3.4 Traffic

2

1

e

is :1,

nt 10

15

nd its nd 4.1

The volume and characteristics of traffic should be considered for the design of a roadway. Traffic volumes for an interval of time shorter than a day more appropriately reflect the operating conditions that should be used for the design and mostly, in all the cases, adequate time period is considered to be one hour. Due to the changing traffic pattern during the various hours of the day, a key decision is involved in determining the appropriate hourly volumes for design. It would be uneconomical if maximum peak-hour traffic during a year is used for design and if average hourly traffic is used, it would lead to inadequacy. So, always a reasonable value of traffic is considered for the geometric design. The traffic characteristics include directional distribution, composition and speed of traffic which are necessary to be considered for the geometric design.

3.3.5 Environment and Economy

The term environment includes human, animal, and plant communities and the forces acting on all the three. The roadway design should be in such a way that it would not affect the sustenance and quality of human life. The design developed considering all the above factors should be economical and must be within the allocated budget for the construction and maintenance of roadways.

The roadway geometric design should be in such a way that the overall aesthetics of the environment is not affected.

4. CROSS-SECTIONAL ELEMENTS

11

त्योजना निर्द्राफ/Project Director भारतीय गर्मुच गजमार्ग प्राधिकरण Road land width (also termed the Right-of-Way) is the land acquired for rolling the termed the Right-of-Way) is the land acquired for rolling the termed the Right-of-Way) is the land acquired for rolling the termed the right and the termed the length of road. However, additional line by it reperties the termed term.

परियोजना निदेशक/F

पी०आइ०य०-वस

reject Director

भारत सश्कार)

IRC:73-2023

for accommodating cross sections, improvement of geometrics, realignment, junctions, bypasses etc., should be acquired by the authority. A minimum ROW to be available for development of highways is given in **Table 4.1**. Desirable land widths for other classes of roads are indicated in **Table 4.2**.

5. No.	Road Classification	Minimum Right of Way
1	2- Iane Highways	30 m
2	4- lane Highways	45 m
3	6- Iane Highways	60 m
4	8- Iane Highways	120 m
5	Expressways	90-120 m
6	2- Iane Highways with Bypasses	45-60 m
7	2- Iane Highways in Open Areas** (Mountainous and steep terrain)	24 m 18 m (Exceptional)
8	2- Iane Highways in Built-up Areas** (Mountainous and steep terrain)	20 m 18 m (Exceptional)

Table 4.1 Recommended Right-of-Way for Highways and Expressways

Note: The ROW width must include the 2 m wide strip on either side reserved for placement of utilities outside the fencing.

Table 4.2 Recommended Right-of-Way for Other Classes of Roads (in m)

-		Pla	in and Ro	olling Terr	ain	Mountainous and Steep Terrain				
S. No.	Road Classification	Open Areas		Built-up Areas		Open Areas**		Built-up Areas**		
140.	Vidoonitvation	Normal	Range	Normal	Range	Normal	Exceptional	Normal	Exceptional	
1	Major District Roads	25	25-30	20	15-25	18	15	15	12	
2	Other District Roads	15	15-25	15	15-20	15	12	12	9	
3	Village Roads	12	12-18	10	10-15	9	9	9	9	

**In order to ensure proper sight distance and for the circumstances given below in notes, it will be necessary to acquire additional right of way over that indicated in Table 4.1 and Table 4.2

Notes:

1. Right of way shall be enough to ensure minimum setback of 5 m for building line from edge of road land boundary.

2. Additional land is required at locations involving deep cuts to maintain stability of slopes, high fills and unstable/ land slide area.

3. If the road is planned to be upgraded in the future, land width shall correspond to higher class of road.

4. Keeping in view the fast pace of ribbon development of habitation along the roads in hilly/ mountainous region, encumbrance free future expansion and safety of road users, minimum two-lane carriage way road as per national highway standard shall be planned and the land width shall be planned accordingly.

5. In case of village roads where initially it is decided to construct single lane carriage way due to low volume of traffic, the width of the land to be acquired shall be planned for two lane road as per national highway standards in the beginning for safety of road users and to take care of encumbrance free future expansion on account of ribbon development along right of way.

12 परियोजना निदेशक/Project Director राष्ट्रीय राजमार्ग प्राधिकरण

d Transport & High

National

परियोगना निरंगव/Project Director अत्यति मन्द्राय मन्त्रमर्ग प्रांसकरण National Highways Authority of India (सन्दर्फ नीरवहन राजमान महात्वय, आरत सरकार) (सन्दर्फ नीरवहन राजमान महात्वय, करवहन

IRC:SP:84-2019

MANUAL OF SPECIFICATIONS AND STANDARDS FOR FOUR LANING OF HIGHWAYS

(Second Revision)



वनिनेतनम मिल्ला /Project Director भारतीय संदेश नाभाग डामिस्टम National Hiptways Authomy of India (सर्टन, गोनासन राग्यान म्वाल्स, श्रांस गानाम) (सर्टन, गोनासन राग्यान म्वाल्स, श्रांस गानाम) Ministry of Road Transport & Highways विक्रसार्ट्र नाजना दिहार, वेद्यान्

INDIAN ROADS CONGRESS 2019

परियोग्जना निवेशक/Polect Director भारतीय गर्द्राय राजमार्ग प्राधिकरण National Highways Authority of India (सड़क परियहन राजमान मंत्रालय, भारत सरकार) (सड़क परियहन राजमान मंत्रालय, भारत मरकार) Ministry of Road Transport & Highways Ministry of Road Transport, बहराद्वन

IRC:SP:84-2019

Nature of Terrain	Cross Slope of the	Design Speed (km/h)		
	Ground	Ruling	Minimum	
Plain and Rolling	Up to 25 percent	100	80	
Mountainous and Steep	More than 25 percent	60	40	

Table 2.1 Design Speed

Short stretches (say less than 1 km) of varying terrain met with on the road stretch shall not be taken into consideration while deciding the terrain classification for a given section of Project Highway.

2.2.2 In general, the ruling design speed shall be adopted for the various geometric design features of the road. Minimum design speed shall be adopted only where site conditions are restrictive and adequate land width is not available. Such stretches where design speed other than ruling speed is to be adopted shall be as indicated as deviation in **Schedule 'D'** of the Concession Agreement.

2.3 Right-of-Way

A minimum Right of Way (ROW) of 60 m should be available for development of a 4-lane highway. The Authority would acquire the additional land required, if any. The land to be acquired shall be indicated in **Schedule 'B'** of the Concession Agreement. The consideration for planning, design and construction described in Para 1.13 shall apply.

2.4 Lane Width of Carriageway

The standard lane width of project highway shall be 3.5 m.

2.5 Median

2.5.1 The median shall be either raised or depressed. The width of median is the distance between inside edges of carriageway. The type of median shall depend upon the availability of Right of Way. The minimum width of median, subject to availability of Right of Way, for various locations shall be as in **Table 2.2**.

	Minimum Width of Median (m)						
Type of Section	Plain and	Mountainous and Steep Terrain					
	Raised*	Depressed Median	Raised*				
Open country with isolated built-up area	5.0	7.0	2.5				
Built up area	2.5	Not Applicable	2.5				
Approach to grade separated structures	5.0	Not Applicable	2.5				

Table 2.2 Width of Median

Including Kerb shyness of 0.50 m on either side. In the existing 4-lane reaches also, the minimum kerb shyness of 0.5 m shall be maintained. This additional width for kerb shyness shall be catered by augmenting the carriageways toward the shoulder side. The type and widths of median in various stretches of Project Highway shall be as indicated in Schedule 'B'.

9 परियोजना निरोगक Arolect Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India Nanonai mignways Aumoniy or mola (सङ्क परिवहन राजमार्ग मंत्रालम, भारत सरकार) Ministry of Road Transport & Highways पी०आई०यू०-वसन्त विहार, देहराडून

षरियोगना निर्देशेषर Project Director भारतीय राष्ट्रीय रात्मार्ग प्राप्तिकरण National Highways Authority of India (सङ्क परियहन राजमान मंत्राख्य, भारत सरखार) (सङ्क परियहन राजमान संक्रार, भारत सरखार) Ministry of Road Transport & Highways पाठआई०गू०-वसन्त विहार, वेहराष्ट्रन

ANNEXORE-3



in association with



CHO & KIM ENGINEERING PVT.LTD. Registered: L-19, LGF, Kalkaji, New Delhi, South Delhi, India – 110019. Phone: 0124-4742955, Fax no: 0124-4746202, E-mail: chossik@gmail.com,manojb@ymeng.in

Date: 01.04.2025

Ref. No. YM(EN) 2025-0104001

To,

tl.paonta.dpr@gmail.com

The Project Director PIU Vasant Vihar National Highways Authority of India House No. 171, Phase I, Vasant Vihar, Dehradun – 248006 (Uttarakhand) E-mail: piuvasantvihar@nhai.org, piuvasantvihar@gmail.com

Sub.: Development of 4-lane Greenfield road connecting NH-7 (old NH-72) (near Jhajhra) to Delhi-Dehradun Expressway NH-307 (old NH-72A) at Asharori Section from Km. 0.000 to Km. 12.000 in the State of Uttarakhand. – Study on Alternate Alignment through Fire Line

Dear Sir,

As desired by PIU, a study was made of altering the alignment making use of Fire Line existing close to the proposed alignment. The alternative alignment was designed satisfying the requirements as adopted in the alignment proposed for Forest Clearance and demarcated on the ground. The google image showing the two alignments is attached. The change is between Chainage 6.530 and Chainage 8.850 of the proposed alignment.

- 1. A comparative study has been made for the following parameters:
- i) Effect on the number of trees to be felled
- ii) Closeness to forest boundary
- iii) Crossing of alignment by Fire Line
- iv) Fire hydrant laid in the Fire Line will have to be relocated.
- v) Geometric parameters

1.1 Effect on the number of trees to be felled

The trees were counted by the forest staff in the presence of Consultant's representatives during the period 20.03.2025 to 23.03.2025. The trees were tabulated compartment wise in different sizes. A summary of number of trees affected is given in Table below:

FEM	ALICNMENT	COM	PARTMENT	TOTAL
ITEM	ALIGNMENT	LALDANG	CHANDRABANI	IUIAL
Number of Trees (incl	Alignment As proposed to REC	525	1297	1822
saplings)	Alternate alignment using FIRE Line	603	974	1577
	Saving	-78	323	245
LARGE	Alignment As proposed to REC	71	188	259
SIZE TREES (>5)	Alternate alignment using FIRE Line	105	219	424
	Saving	-34	-31	-65

COMPARISON OF THE NUMBER OF TREES AFFECTED

1 of 2 परियोजना निरेशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (सड़क परिवहन राजमार्ग मंत्रालय, भारत सरकार) Ministry of Road Transport & Highways पी०आइं०यू०-यसन्त विहार, देहरादून परियोजमा निदेशक / Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (संड्रक परिवहन राजमार्ग मंत्रालय, भारत सरकार) Ministry of Road Transport & Highways पी०आई०यू०-वसन्त विहार, देहरादून It is observed that there is a reduction of about 245 trees (including saplings) by changing the alignment through Fire Line. However, there is an increase of 65 number of large size trees by adopting new alignment. During the REC meeting a concern was made about saving of full grown (large size trees). The objective is not achieved by changing the alignment.

1.2 Closeness to forest boundary

The alignment was proposed closest to the forest boundary so that continuity of forest is least affected. The alternate alignment will shift the proposed road inside the forest (away from forest boundary). It will make management of leftover area difficult for forest department to manage.

1.3 Crossing of alignment by Fire Line

The proposed alignment crosses the existing Fire Line at one location, whereas in the new alignment the Fire Line will meet at two locations. At both the locations median cut (controlled) will have to be provided for movement of forest officials both during emergency as well as in normal times. Since the facility is planned fully access controlled, it will create additional safety hazard.

1.4 Utilities in Fire Line:

It was observed during field survey and a pipe line is running at the edge of the fire line. Since Fire Line is not straight, the water pipe line will have to be relocated along the new alignment.

1.5 Geometric parameters

It will be possible to achieve the geometric parameters similar to the proposed alignment.

2. Conclusion:

In view of the above, it may be observed that there is no appreciable advantage in changing the alignment. On the contrary more number of large size trees would have to be felled.

Thanking you and always assuring you of the best services.

Yours sincerely

Yongma Engineering Co. Ltd.

NONE

(Rohan Chaudhary) Project Manager (Tech) Authorized Signatory

Encl.: As above.

परियोजना निदेशक/Project Diractor भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (सड़क परिवहन राजमार्ग मंत्रालय, भारत सरकार) (सड़क परिवहन राजमार्ग मंत्रालय, भारत सरकार) मंगठमाई०यु०-वसन्त विहार, देहरादून भारत सरकार / GOVERNMENT OF INDIA पर्यावरण, वन एवं जलवायु परिवर्तन मंत्रालय / Ministry of Environment, Forest & Climate Change क्षेत्रीय कार्यालय, देहरादून / Regional Office, Dehradun



25 सुभाष रोड, देहरादून-248001/ 25 SUBHASH ROAD, DEHRADUN-248001 दूरभाष/ PHONE-0135-2650809, ई-मेल/ E-mail-moef.ddn@gov.in

File No. RO-DDN/REC/1-2014/VOL-6/1438

रेख जायह

Dated: 13 March 2025

क्षेत्रीय सशक्त समिति। REGIONAL EMPOWERED COMMITTEE 89वीं आर॰ ई॰ सी॰ बैठक दिनांक 27 फरवरी, 2025 का कार्यवृत्त । MINUTES OF 89th MEETING OF THE REC DATED 27th JANUARY, 2025

वन (संरक्षण एवं संवर्धन) अधिनियम, 1980 तथा वन (संरक्षण एवं संवर्धन) नियम, 2023 के तहत वन भूमि प्रत्यावर्तन से संबंधित प्रस्तावों पर चर्चा करने हेतु आर॰ ई॰ सी॰ की बैठक दिनांक 27 फरवरी. 2025 को पूर्वाह 11:00 बजे श्री संतोष तिवारी, भा॰व॰से॰, उप वन महानिदेशक, क्षेत्रीय जन्माल्यर ,पर्यावरण ,वन,एवं.जलवाुय परिवर्तन मंत्रालय, देहराूद्दन की अध्यक्षता में क्षेत्रीय कार्यालय, MoEF&CC, देहरादून के सम्मेलन कक्ष में आयोजित की गई।

वैठक में निम्नलिखित अधिकारी व्यक्तिगत / विडियो कॉन्फ्रेंस के माध्यम से उपस्थित थे-

No.	Name	Designation
1.	Shri. Santosh Tewari, IFS,	Chairman
2.	DDGF(C), Regional Office, Dehradun Shri, A.K Johari, IFS (Retd.)	Non-Official Member (Through VC)
3.	Shri. Raj Kishor Singh, IFS (Retd.)	Non-Official Member (Through VC)
4.	Shri. Ranjan Kumar Mishra, IFS, PCCF-cum- Nodal Officer (Uttarakhand)	Special Invitee
5	Smt. Neelima Shah, IFS, AIGF(C), Regional Office, Dehradun.	Member Secretary

At the outset, the Chairman of the Committee welcomed all the members present in the meeting or connected through Video-Conference.

Page 1 of 17

परियोजना निदेशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (सड़क पॉर्यहन राजमार्ग मंत्रालय, भारत सरकार) Ministry of Road Transport & Highways पाठआई०यू०-यसन्त विहार, देहरादून Following proposals pertaining to the state of Uttarakhand were discussed in detail and the case wise decision taken by REC is as under:

Agenda item 89.01 (U. K.)

Online No.: FP/UK/ROAD/140350/2021

Diversion of 20.0849 ha of Forest Land (Reserve Forest) for development of 4-lane Greenfield road connecting NH-7 (old NH-72) (near Jhajhra) to Delhi-Dehradun Expressway NH-307 (old NH-72A) at Asharori Section from Km. 0.000 to Km. 12.000 in the State of Uttarakhand in favour of NHAI, within the jurisdiction of Dehradun Forest Division, Dehradun District of Uttarakhand.

The details of the proposal are as under:

- The proposal has been signed and recommended by the all concerned authorities in the part I. II, III, IV & V. In part II, III, IV and V of the proposal, <u>no specific comments</u> have been recorded by the competent authority.
- As per site inspection report of the concerned DFO having territorial jurisdiction on proposed forest land violation of Forest (Conservation) Act, 1980 is not reported.
- As per part II of the proposal, the proposed forest patch is a part of Shivalik Elephant Reserve. As far as impact of ESZ of Rajaji National Park or Shivalik Elephant Reserve is concerned, the user agency has submitted Chief Wildlife Warden letter No-455/12-1 dated 11.08.2021 according to which the project will not have any adverse effect on wildlife.
- As per part II of the proposal, the proposed forest patches are <u>not located</u> in the area having protected archaeological/heritage site/defence establishment or any other important monument.
- 5. Rare/endangered/unique species of flora and fauna is not reported in the area.
- The justification for the requirement of forest land and for locating the project in forest area has been provided.
- DSS analysis of the KML file of the area proposed for diversion has been carried out. Area comes to 20.05 ha instead of 20.08 ha and the area is having wildlife habitat.
- The detail of forest area and number of trees, NPV and compensatory afforestation is as under:

Trees Detail

o [Forest	01.11	and the second se				ALL AND
	Division/ District			Reserve Forest area	Total Area	Crown density & Eco Class	No. of trees enumerated
	Dehradun Forest Division	-	-	20.0849	20.0849	Density: 0.6; Eco-class:	6574 trees (including 2118 saplings)

Area wise details with density and tree detail

परियोजना निदेशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (सङ्क परिवहन राजमार्ग मंत्रालय, भारत सरकार) Ministry of Road Transport & Highways पीठआई०यु०-यसन्त विहार, देहराष्ट्रन

Dago 7 of 17

5. NO.	Scientific Name	Local Name	(0- 30)cm.	(31- 60)cm.	(61- 90)cm.	(91- 120)cm.	(121- 150)cm.	(>150)cm.
1	Shorea Robusta	Sal	.16	62	798	1217	1087	877
2	Tectona Grandis	Sagun	98	59	135	56	7	3
3	Melotus Philippensis	Rohini	1337	16	9	4	2	1
4	Syzigium Cumini	Jamun	119	2	9	2	3	5
5	Dalbergia sissoo	Sesham	10	0	0	0	0	0
6	Others miscellaneous spp.		538	9	25	29	a 15	24
	Total		2118	148	976	1308	1114	910
	Sub Total (No of Tree	es.)			See See S	6574		Sec. 3.

Species-wise and Girth-wiseTree detail

Net Present Value (as per DFO

SI. No.	Name of Forest Division	ForestArea (in ha.)	NPV Rate (in Rs per ha)	Crown Density		Total (Rs.)
1.	Dehradun Forest	20.0849	14,36,670/-	0.6	Linguista	2,88,55,373/-
					Total:-	2,88,55,373/

Compensatory Afforestation

SI.	Details of CA area	Status of GA land	Area for CAlin.bal	Name of Forest Division	Total Financial Outlay for CA Scheme (Rs.)
1.	Gadeta, Khasra no. 1, 4 & 5	Civil Soyam	23	Soil Conservation Forest Division, Kalsi	1,13,54,410/-
2.	Thena, Khasra no. 766	Civil Soyam	10	Soil Conservation Forest Division, Kalsi	49,36,700/-
3.	Latau, Khasra no. 148	Civil Soyam	8	Soil Conservation Forest Division, Kalsi	39,49,360/-
	Total:		41		3,18,73,500

Page 3 of 17

परियोजना निदेशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (सड़क परिवहन राजमार्ग मंत्रालय, भारत सरकार) (सड़क परिवहन राजमार्ग मंत्रालय, भारत सरकार) Ministry of Road Transport & Highways पीठआई०यु०-वसन्त विहार, देहराडून

9. DSS report details are as follows :

Items	Proposed area (ha)	KML (Uploaded) area (ha) As per DSS analysis	Remarks of DSS section
Proposed Diversion area	20.0849	20.04	Slightly lesser than proposed
CA area	41	41	8.00 ha has MDF cover in patch -4

10. As per the GIS-DSS analysis of the KML file of the CA area 8.00 ha MDF is reported.

- 11. The certificate of District Magistrate w.r.t Forest Right Act, 2006 is provided in the proposal.
- 12. The details of employment generation through the proposal -
 - (i) Permanent-0;
 - (11) Temparory-545 man-days.
- 13. The cost benefit analysis has been submitted.

14. The proposal was examined and last EDS was raised on 03.04.2024 after which the proposal was also discussed in the FRCM held on 13.08.2024. The reply of the State Government was received on 31.01.2025. The details are as under:

SI.	Information_swynkt.thought=55	Reply submitted by State Government
		प्रभागीय वनाधिकारी, देहरादून वन प्रभाग द्वारा प्रयोक्ता अभिकरण से प्राप्त सूचना के आधार पर अवगत कराया गया है कि भारत सरकार द्वारा प्रदत्त निर्देशों के अनुसार विषयांकित परियोजना के निर्माण हेतु प्रस्तावित 20.0849 है॰ वन भूमि के एवज में प्रतिपूरक वृक्षारोपण हेतु कालसी भूमि संरक्षण वन प्रभाग के कार्यक्षेत्रान्तर्गत जनपद देहरादून, तहसील कालसी के अन्तर्गत याम गडैता के खाता संख्या-44 के खसरा नं॰ 1 रकवा 12.000 है॰, खसरा नं० 4 रकबा 3.000 है॰, खसरा नं॰ 5 रकवा 8.000 है॰ व ग्राम थैना के खाता संख्या 87 के खसरा नं० 766 रकवा 10.000 है॰ तथा ग्राम लटौ के खाता सं॰ 91 के खसरा नं० 148 रकवा 8.000 है॰, कुल रकवा 41.000 है॰ भूमि चयनित की गयी है। जिलाधिकारी देहरादून दारा पत्र संख्या- 330/XIIA-20/डी॰एल॰ आर॰सी॰ / 2024, दिनांक 24 दिसम्बर, 2024 से उक्त भूमि

Page 4 of 17

परियोजना निदेशक/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण भारताव राष्ट्राय राजमान प्राध्यकरण National Highways Authority of India (सड़क परिवहन राजमार्ग मंत्रालय, भारत सरकार) Ministry of Road Transport & Highways पाठआई०यू०-वसन्त विहार, देहरादून

SI. No.	Information sought through EDS	Reply submitted by State Government
		को वन विभाग को हस्तान्तरण/नामान्तरण किये जाने के आदेश निर्गत किये गये हैं। उक्तानुसार चयनित भूमि में प्रभागीय वनाधिकारी कालसी द्वारा प्रेषित प्रतिपूरक वनीकरण एवं उसके 10 वर्षों के रख-रखाव की योजना, के॰एम॰एल॰ फाईल डी॰एस॰एस॰ रिपोर्ट, टोपाशीट व जीयोरेफरेन्स मानचित्र एवं उपयुक्तता प्रमाण पद समोहर हस्ताक्षर सहित इस पत्र के साथ संलग्न कर अग्रिम कार्यवाही हेतु प्रेषित हैं एवं उक्त दस्तावेज प्रयोक्ता अभिकरण द्वारा ऑनलाईन पोर्टल के भाग-1 में यथास्थान अपलोड कर लिय गया है।
2	प्रयोक्ता अभिकरण द्वारा एक वचन पत्र प्रस्तुत किया जायेगा कि Wildlife Management Work and Soil & Moisture Conservation Work हेतु भारत सरकार / राज्य सरकार द्वारा जो भी शर्त अधिरोपित/निर्धारित की जायेगी, उनका पूर्ण रूप से अनुपालन किया जायेगा।	बिन्दु संख्या 2 के अनुपालन में रू0 279.64 लाख "धनरीरि। कि। वन्यजीव 'प्रबंधम 'योजन। 'एव 'र

- As per DSS analysis of CA area, 8.00 ha of CA land in Kalsi Forest Division has MDF. In this regard, the CF, Shivalik Circle certified that the said area covered with Lantana and scrubs.
- The CWLW, Govt. of Uttarakhand certified a Wildlife Management Plan of Rs. 279.64 Lakh and SMC work of Rs. 77.102 Lakh. The User Agency submitted an undertaking to bear the said cost.

The reply has been perused/ examined and it is decided to place the proposal before the REC for further discussion and decision in the proposal.

Page 5 of 17

परियोजना निरेशक:/Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (सड़क परिवहन राजमार्ग मंत्रालय, भारत सरकार) Ministry of Road Transport & Highways पाठआई०यु०-यसन्त विहार, वेहराहून

Discussion:

The proposal was presented by the project proponent along with the DFO, Dehradun Forest Division. The KML file of the proposal was seen in the meeting. The committee was apprised that the CA has now been proposed over 41.00 ha of Civil & Soyam Land (NFL) which is under control of Revenue Department and shall be mutated in favour of State Forest Department before Stage-II approval. It was also informed that in 41.00 ha CA area, 8.00 ha land in Kalsi Division has MDF. In this regard, the DFO, Dehradun submitted a certificate that the area is covered with Lantana and scrubs. The committee was also apprised that the project proponent has also submitted an undertaking for submission of the Wildlife Mitigation Plan of Rs. 279.64 Lakhs and Rs. 77.102 lakhs for SMC works as directed by the CWLW, Govt of Uttarakhand.

The project proponent informed that this road is in 6.715KM long stretch, which would act as bypass of Dehradun city. The route will connect Dehradun-Delhi Expressway to Ballupur-Paonta Saheb road. Major purpose of the road is to reduce the traffic jam in Dehradun city. Further It was noted that there is huge number of tree felling proposed in this project i.e 6574 trees (including 2118 saplings) and majorly of it includes Sal trees. The DFO Dehradun Forest Division informed that he has visited the site and found out that there is no possibility to avoid the tree felling, these are the bare minimum trees which were enumerated in the proposal .Further, in site inspection report of DFO, it is already submitted that adjacent to the proposed area is the habitation area. The area (small pockets) in between the proposed area and habitation would be prone to encroachment in future, therefore user agency shall fence (wall fencing) those forest area which is prone to encroachment i.e. adjacent to village.

In the meeting, the PCCF-cum-Nodal Officer (FC) also pointed out strip of forest area between the proposed road and residential area and also patches of forest land inside the residential area that may be encroached in future. It was advised to the user agency to protect this existing forest land from encroachment to the maximum extent by fencing.

Decision of REC:

After detailed discussion on various aspects of the proposal, the committee decided to recommend the proposal with standard terms and conditions and only after the submission of compliance of specific additional condition(s):

- The DFO Dehradun and Project Proponent shall submit a technical specification and details of attempts made to reduce the felling of trees and findings thereof.
- 2. The project proponent shall submit an undertaking that the final outcome w.r.t.

Page 6 of 17

roject Director परियोजना निदेशक/F भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (सङ्क परिवहन राजमार्ग मंज्ञालय, भारत सरकार) र्सङ्क पारवहन रागमान मवालव, भारत सरकार) Ministry of Road Transport & Highways पाठआइंठवू०-यसन्त विहार, देहरादून

Hon'ble Supreme Court Orders in the CWP (C) No 1164/2023 dated 03.02.2025 shall be complied.

- 3. The DFO Dehradun shall prepare a plan for fencing (wall fencing) around the forest land adjacent to the proposed road to avoid any encroachment and protect forest land from collateral damage. The cost of the proposed wall shall be borne by the user agency.
- 4 The DFO Dehradun shall prepare a plan for fencing (wall fencing) in the patches of adjacent forest lands inside the residential area that are prone to encroached in future. The cost shall be borne by the user agency.
- The State Forest Department shall ensure that the CA area shall be planted with minimum 50% of Sal trees.

12 G - Alter Brand Franks

Agenda item 89.02 (U. K.)

****X****

Online No.: FP/UK/ROAD/21335/2016

Diversion of 7.152 ha of Forest Land (6.522 ha Reserve Forest and 0.63 ha Civil & Soyam Land) for construction of Bangaon-Chapada-Kaslana motor road in favour of PWD, within the jurisdiction of Upper Yamuna Forest Division, Barkot (3.735 ha) and Uttarkashi Forest Division (3.417 ha) in Uttarkashi District of Uttarakhand.

The details of the proposal are as under:

- The proposal has been signed and recommended by the all concerned authorities in the part I, II, III, IV & V. In part II, III, IV and V of the proposal, <u>no specific comments</u> have been recorded by the competent authority.
- As per site inspection report of the concerned DFO having territorial jurisdiction on promised forest land violation of Forest (Conservation) Act, 1980 is not reported.
- As per part II of the proposal, the proposed forest patch is not a part of national park, wild sanctuary, bioephese reserve, tiger reserve, elephent, corridor, wildlife migration, corridor etc.
- 4. As per part II of the proposal, the proposed forest patches are <u>not located</u> in the area having protected archaeological/heritage site/ defence establishment or any other implicant monument.
- 5. Ran endangered/unique species of flora and fauna is not reported in the area.
- The ustification for the requirement of forest land and for locating the project in forest are has been provided.

Page 7 of 17

परियोजना निदेशक / Project Director भारतीय राष्ट्रीय राजमार्ग प्राधिकरण National Highways Authority of India (सड़क परिवहन राजमार्ग मंत्रालय, भारत सरकार) (सांड्रे परिवहन राजमार्ग मंत्रालय, भारत सरकार) Ministry of Road Transport & Highways पीठआई0यू०-यसन्त विहार, देहरादून